

CONFIDENTIAL

TENDER No.:



**National Government
Constituencies Development Fund
Kuria West Constituency**

TENDER DOCUMENT

BILLS OF QUANTITIES

AND

SPECIFICATIONS

FOR

**PROPOSED RENOVATION TO COMPLETION OF 2NO.
CLASSROOMS**

AT

IKEREGE BOARDING PRIMARY SCHOOL

PREPARED BY:

SUB COUNTY WORKS OFFICER
KURIA WEST SUB-COUNTY
P.O BOX 265-40400,
MIGORI COUNTY,

Issued By:-

**The Fund Account Manager,
NATIONAL GOVERNMENT CONSTITUENCY DEVELOPMENT FUND
KURIA WEST CONSTITUENCY
P.O. BOX 263 - 40413, KEHANCHA**

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

ITEM	DESCRIPTION	AMOUNT
	SECTION I	
	<u>GENERAL AND PARTICULAR PRELIMINARIES</u>	
	<u>DEFINITION OF TERMS</u>	
	<u>GENERALLY</u>	
A	<p><u>PRICING ITEMS OF PRELIMINARIES AND PREAMBLES</u></p> <p><u>Tenderer to price for all preliminary items in this section</u></p> <p><u>Please insert any other preliminary items deemed necessary in this section of the Bills</u></p> <p>The following clauses are given for the guidance of the Contractor in the preparation of his tender.</p> <p>The Contractor must allow in his tender any sum he may consider necessary in respect of these clauses by way of pricing the clauses as required.</p> <p>The Contractor shall be deemed to have included in his prices or rates for the various items in the Bills of Quantities or Specification for all costs involved in complying with all the requirements for the proper execution of the whole of the works in the Contract.</p> <p>In the case of the contractor leaving unpriced any Preliminary Items, then he shall be deemed to have considered that the rate for the remaining items in the bills of Quantities are sufficient to perform the services and obligations in the items not priced without</p> <p>Wherever in the Contractor's priced Tender Documents no price appears against an item of Preliminaries or Bills of Quantities, the value of such item shall be deemed to be included in their prices for the other items in the Preliminaries and Bills of Quantities.</p> <p>Only those items which are priced in this Section, Preliminaries, of the Bills of Quantities will be reviewed for adjustment in the event of a variation and any such adjustment in each case shall be in accordance with the merits of each priced item in relation to the variation involved. Therefore it is a condition of this Contract that this Section is priced according to the merits of each item</p>	
B	<p><u>DEFINITION OF TERMS</u></p> <p>Employer The term 'The Employer' shall be deemed to mean The NG-CDF KURIA WEST . The term 'Employer', 'Client' and 'Owner' wherever used in this Tender Document shall be synonymous</p> <p>Project Manager The term "Project Manager" shall be deemed to mean The Sub County Works Officer, Kuria West Sub County</p> <p>Contractor The term "Contractor" shall mean the person or persons, firm or Company whose tender has been accepted by the employer and includes the Contractor's legal personal representatives, successors and permitted assigns.</p> <p>Approved or Approval Means approved or approval in writing by the Project manager unless otherwise specified.</p> <p>'Works' The term 'the works' wherever used hereinafter and in all contract documents shall mean all or any portion of the works, materials and articles wherever the same are being manufactured or prepared which are to be used in the execution of this contract and whether the same be on site or not. It shall also be deemed to include of all sub-contractors and of all variations.</p>	
	Carried to collection page.....	

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

ITEM	DESCRIPTION	AMOUNT
	SECTION 1	
	<u>GENERAL AND PARTICULAR PRELIMINARIES</u>	
	<u>DEFINITION OF TERMS</u>	
	<u>GENERALLY</u>	
	<u>Tenderer to price for all preliminary items in this section</u> <u>Please insert any other preliminary items deemed necessary in this section of the Bills Item G Page 4</u>	
C	<u>VISIT THE SITE</u> Before tendering, the Contractor MUST visit the site and satisfy himself as to local conditions, water, lighting services, the accessibility of the site, the full extent and character of operations, the nature of the area, building and adjacent buildings, the supply of and conditions affecting labour services and materials necessary for the execution of the Contract works generally and shall make all necessary allowances and provisions for his tender as no claim for want of knowledge in this respect will be allowed.	
D	<u>SCOPE OF CONTRACT.</u> The scope of work is as highlighted in section bills of quantities The site shall be cleared and any present intervening trees cut	
E	<u>FORM OF CONTRACT</u> The contractor will be required to enter into a contract agreement which will be derived from the prevailing Public Procurement Act procurement of building works. excepting in so far as varied hereafter. The Contractor's attention is called to the clauses of the Conditions of Contract which shall be read as incorporated herein and he shall allow any sum which he considers necessary for the observance of such conditions. The conditions shall be available with Project Procurement Officer for Contractor familiarisation at all times	
F	<u>GENERAL MATTERS</u> <u>EQUIPMENT</u> The Contractor shall make available on site as and when required by the project manager a modern and accurate level together with levelling staff, Ranging rods and one 30 metre metallic measuring tape.	
G	<u>VALUE ADDED TAX (VAT)</u> The Contractor's attention is drawn to the Legal Notice in the Finance Act part 3 Section 21(b) operative from 1st September, 1993 which requires Payment of VAT on all contracts. The Contractor should therefore include an allowance in his rates and prices for VAT and any other Government taxes and levies currently in force.	
	Carried to collection page.....	

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

ITEM	DESCRIPTION	AMOUNT
	<p><u>GENERAL AND PARTICULAR PRELIMINARIES</u></p> <p>Tenderer to price for all preliminary items in this section Please insert any other preliminary items deemed necessary in this section of the Bills <u>Item G Page 4</u></p>	
H	<p><u>WITHHOLDING VALUE ADDED TAX</u></p> <p>The tender is advised that in accordance with Government regulations withholding Tax will be levied against the total contract sum by the Employer and remitted to the Commissioner of Income Tax; through all interim and final certificates. It should however be noted that this is not an additional Tax; but it is an advance payment of Income Tax which will be refundable once the Contractor has submitted his annual returns to the Commissioner of Income Tax; who will do the refunds when he is satisfied that all the income tax regulations have been compiled with.</p>	
I	<p><u>HEALTH, SITE SAFETY AND FIRST AID FACILITIES</u></p> <p>Health and Site Safety are a major priority. The Contractor shall instigate and maintain such site measures as are required by virtue of the works and shall comply fully with all regulations, factory act, by-laws and the like concerning or touching the works contained herein.</p>	
J	<p><u>SUFFICIENCY OF TENDER</u></p> <p>The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices stated in the priced Bills of Quantities which rates and prices shall cover all his obligations under the contract and all matters and things necessary for the proper execution, completion and maintenance of the works. Any items left unpriced by the Contractor in the Bills of Quantities shall be deemed to have been included within the rates of the other priced items</p>	
K	<p><u>INSURANCE</u></p> <p>The contractor shall insure as required by the conditions of contract in Tender documents. No payment on account for the work executed will be made to the Contractor until he has satisfied the Project Manager either by production of an Insurance Policy or an insurance certificate that the provisions of the Insurance Clauses have been complied with in all respect and payment for premiums made as necessary.</p>	
L	<p><u>WORKS PROGRAMME</u></p> <p>The Contractor shall, upon possession of site draw up a works programme, Setting out the order in which the works are to be carried out with the appropriate date thereof. The works programme is to be agreed with the project manager . The Main Contractor will be responsible for arranging the above programme with all sub-contractors including nominated sub-contractors and nominated suppliers. In addition the contractor must have a site instruction book to be used by the project supervisors. Payment shall not be certified and made to the Contractor unless the progress schedule is approved and agreed upon within the stipulated time indicated above.</p>	
	<p>Carried to collection page.....</p>	

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

ITEM	DESCRIPTION	AMOUNT
M	<p><u>GENERAL AND PARTICULAR PRELIMINARIES</u></p> <p><u>PREVENTION OF NUISANCE</u></p> <p>The works and such sections of the site necessary shall be under the entire care and control of the Contractor during the whole period of the contract and to ensure that the Contractor has representatives or agents and workmen (Employees) shall take all possible precautions to prevent any nuisance, inconveniences or injury to the holders or occupiers of the existing neighbouring or surrounding properties and to the public generally and shall at all times keep all the paths and roads affected by the works in a safety of all traffic, pedestrians and public in general.</p>	
N	<p><u>EXISTING PROPERTY</u></p> <p>The Contractor shall take every precaution to avoid damage to the existing property including shops, roads, cables, drains, partition wall and other services and he will be held responsible for all damages arising from the execution of this contract to the aforementioned and he shall make good any damage when directed at his own expense to the satisfaction of the Client and the Local Authority.</p>	
O	<p><u>WATER AND ELECTRICITY SUPPLY FOR THE SITE AND THE WORKS</u></p> <p>The Contractor shall provide at his own cost and risk all necessary water, electric light and power required for use in the works. The Contractor must make his own arrangements for connections to the nearest suitable water and electricity main and for metering the same. He must also provide temporary storage tanks and meter as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the Project Manager. The Contractor shall pay all charges in connection therewith. No guarantee is given that sufficient water will be available from the main and the Contractor, must make his own arrangements for augmenting this supply at his own cost if necessary.</p>	
P	<p><u>SANITATION OF THE WORKS FOR WORKERS</u></p> <p>The sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Employer / Implementing Committee. The usage of washrooms shall be agreed with the project manager. The Contractor will be required to pay all conservancy charges and employ adequate sweepers on the site to ensure clean maintenance and daily disinfecting of the washrooms upon completion of the works.</p>	
Q	<p><u>MATERIALS AND WORKMANSHIP</u></p> <p>All materials and workmanship used in the execution of the works shall be of the quality and description herein described unless otherwise stated. Samples of all materials proposed to be permanently incorporated in the works must be submitted to the project manager for his approval before the bulk of the materials are delivered to the site. The contractor shall be responsible for ordering all materials as early as necessary to ensure that such materials are on the site as and when required for the works.</p>	
R	<p><u>SECURITY OF WORKS</u></p> <p>The Contractor shall be entirely responsible for the security of the works, stores materials, personnel, etc., both his own and for other Nominated Contractors directly engaged by the Client in the same Works, and shall provide all necessary watching, lighting and other precautions as necessary to ensure the security and the protection of the public.</p>	
	<p>Carried to collection page.....</p>	

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

ITEM	DESCRIPTION	AMOUNT
S	<p><u>GENERAL AND PARTICULAR PRELIMINARIES</u></p> <p><u>WORKING HOURS</u> Building and Civil Engineering Trade in Kenya. No work shall be carried out at night or on gazetted holidays unless the project manager shall direct. No work shall be covered up or shall any correcting be carried out without prior approval of the project manager.</p> <p>Works of demolitions with adverse noise shall be undertaken at such hours to limit noise and dust interference. Contractor to allow in his pricing for working such hours including night time</p>	
T	<p><u>REMOVAL OF RUBBISH</u> The Contractor is to remove all rubbish from the site from time to time and as instructed by the project manager and leave the site clean and tidy on completion. Heaped soils, materials etc. Shall on completion of works be spread and levelled properly to the satisfaction of the project manager.</p>	
U	<p><u>CLEANING UP</u> On completion and as necessary during the course of the works the Contractor sanitary fittings, clean out all gulley and drain and leave the buildings and the entire site in a clean and habitable condition to the satisfaction of the project manager.</p>	
V	<p><u>LOCAL AUTHORITY BY-LAWS AND CHARGES</u> The Contractor to provide for re-routing, temporary termination or removal; re-fixing and testing of all existing service lines; water, waste, electricity, mechanical services or ICT; in sections affected by demolitions or new works. Such removal and re-installation works be carried out by an approved and certified persons or firms under the Contractor to the approval of the project manager / Client</p>	
W	<p><u>ANY OTHER ITEM OF PRELIMINARIES</u> Contractor to list and price for any other items deemed to be part of these preliminaries out of his study or site visit for this project and out of the contract documents and/or experience</p>	
	Carried to collection page.....	

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	SECTION 1 GENERAL AND PARTICULAR PRELIMINARIES				
	<u>COLLECTION</u>				
A	Brought forward from page i				
B	Brought forward from page ii				
C	Brought forward from page iii				
D	Brought forward from page iv				
E	Brought forward from page v				
	SECTION 1: GENERAL AND PARTICULAR PRELIMINARIES				

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>ELEMENT 01</u> <u>VERANDAH AND RAMPS</u> <u>SUBSTRUCTURES {ALL</u> <u>PROVISIONAL}</u> <u>Site Preparation</u>				
A	Clear site of grass, bushes, shrubs and small trees not exceeding 300mm girth including grubbing up roots, burn or cart away arisings.	15	SM		
	<u>Excavations And Earthworks:</u>				
B	Mass excavation commencing from stripped level depth not exceeding 1.5 metres to reduce level and cart away as directed by the project manager.	7	CM		
C	Excavate trench for strip footing not exceeding 1.50 metres deep commencing at reduced levels.	5	CM		
D	Extra over excavation in rocks irrespective of class	1	CM		
	<u>Disposal:</u>				
E	Load and cart away extra excavated materials from site.	12	CM		
	<u>Filling</u>				
F	Return fill and well ram around foundation.	8	CM		
G	300mm Thick Approved hand packed hardcore: compacted in layers not exceeding 150mm Thick : to the satisfaction of the Structural Engineer. 43	5	CM		
H	Approved Imported murrum fillings to make up levels : compacted in layers not exceeding 150mm Thick : to the satisfaction of the Structural Engineer.	15	SM		
	<u>Anti-Termite Treatment:</u>				
I	Insecticide treatment on top of hardcore filling and over foundation walls applied as per manufacturer's instruction with a 10 year guarantee .	15	SM		
	Carried to collection page.....				

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>ELEMENT NO. 1 CONTD`</u>				
	Concrete Works:				
J	150mm thick floor slab	15	SM		
K	Sawn formwork as described to:- Sides of floor slab	18	LM		
L	Foundation walling 200mm thick undressed natural stone walling in cement sand mortar	4	SM		
M	BRC BRC fabric mesh A142 reinforcements to BS 4483 in floor slab.	15	SM		
N	Damp proofing 500gauge polythene sheet damp proof membrane	15	SM		
O	200mm wide hessian based bituminous damp proof course.	18	LM		
P	100mm diameter steel hollow tubes	6	NO		
	To Collection				
	COLLECTION				
	Brought forward from page 1				
	Brought forward from above				
	TOTAL ELEMMENT NO.1 VERANDAH AND RAMPS				

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>ELEMENT NO. 2 :INTERNAL FINISHES AND WALLING</u>				
	<u>FLOOR FINISHES</u>				
A	Hack floor to form key for the new floor screed finish	112	SM		
B	Cement and sand (1:3) trowelled screeds : on concrete : to 32mm thick cement sand screed 1:3 mixed with red oxide trowelled hard and smooth	127	SM		
C	20 x100mm high ditto skirting	60	LM		
	WALL FINISHES				
D	Brick walling in element sand, mortar (1:4) reinforced with hoop iron in;- 200mm thick eave fillings	14	SM		
E	Wall finishes 12mm cement sand plaster to walls internally on damaged wallls and conduit lines	22	SM		
	Painting				
K	Prepare surfaces, skillfully skim; apply one undercoat and three coats first quality 'Crown' silk vinyl or equal and approved by spraying or other approved method: colour to Projecg Manager's approvals: to;- internal wall	159	SM		
	TOTAL ELEMEMENT NO.2 INTERNAL FINISHES				

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>ELEMENT NO. 3 :EXTERNAL FINISHES</u> <u>WALL FINISHES</u>				
	In-situ Finishings; Plaster / Render, Backings and the like; 15 mm Thick Render to:				
A	Damaged Sections of External Walls	15	SM		
	Painting Prepare surfaces, skillfully skim, prepare and apply three coats first grade exterior quality plastic emulsion paint: to				
B	Rendered walls externally	74	SM		
	Plinth finishes				
D	12mm cement sand render on plinths	38	SM		
E	Prepare and apply two coats black bituminous paint on plinths	38	SM		
	ELEMENT NO. 3: EXTERNAL FINISHES				

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>ELEMENT NO. 4 :WINDOW AND DOOR FINISHES</u>				
A	WINDOW AND WINDOW FINISHES Carefully demolish the section around the existing window opening, remove the existing window complete with frames and fittings, and prepare the opening surfaces as necessary to receive and fix the new window, including making good all disturbed finishes.	10	No		
	WINDOWS				
B	Purpose made steel casement window size 1500 x 1200mm high complete with and including locking and fixing accessories and primed once in black oxide.	10	No		
C	4mm thick clear sheet glass and glazing in Panes 0-0.5m2 with putty	15	Sm		
D	Prepare and apply one undercoat and two coats gloss oil paint;- Steel surfaces	16	SM		
E	DOOR FINISHES Painting Prepare and apply one undercoat and two coats gloss oil paint to;- Steel surfaces of the existing steel casement doors.	8	SM		
	ELEMENT NO. 4 : WINDOW AND DOOR FINISHES				

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>ELEMENT NO. 5</u> EXTERNAL WORKS				
	Paving slab A 600x600x50mm thick insitu concrete (1:2:4) paving slabs on 100mm thick compacted murrum bed	18	SM		
	TOTAL ELEMENTS NO. 5 EXTERNAL WORKS				

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>ELEMENT NO. 6</u>				
	ROOFING				
	The following to be sawn cypress timber in Roof structure including hoisting and placing				
	(All in first grade cypress well treated with good wood preservative).				
A	100 x 50mm rafters	163	LM		
B	150 x 50mm tie beam	64	LM		
C	100 x 50mm ties & struts	59	LM		
D	150x50mm king post	16	LM		
E	100 x 50mm wall plate bolted	40	LM		
F	75 x 50mm purlins	390	LM		
G	225 x 25mm fascia board	44	LM		
	<i>Roof covering</i>				
H	28 gauge Factory painted corrugated galvanized iron sheet	154	SM		
I	28 gauge factory painted ridge caps	19	LM		
	Prepare and apply one undercoat and two coats of gloss paint to :-				
J	Fascia board	17	SM		
	TOTAL ELEMMENT NO.6: ROOFING				

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>ELEMENT NO. 7</u>				
	ELECTRICAL INSTALLATIONS				
1	Supply, install, test and commission the following:				
1.01	LIGHTING				
	Lighting points comprising wiring in 3x1.5mm ² Single Core PVC insulated copper cables drawn in concealed 20mm diameter HG PVC conduits complete with all necessary accessories but excluding switches for:-				
A	one way switching	10	No.		
1.02	10amps moulded white switch plate as MK or equal and approved				
A	2 gang 1 way	3	No.		
1.03	LIGHTING FITTINGS				
	1200mm 1x36w florescent battern fitting or slim cross section with clip on cover plate and adjustable end cap system as Thorn Popular Pack battern or approved equivalent.				
A		6	No		
	Bulkhead fitting with aluminium body on thorn or approved equivalent complete with 18watts energy saving lamp.				
B		4	No		
2.01	POWER INSTALLATIONS				
	Ring mains socket outlets comprising wiring in 3x2.5mm sq. single core PVC insulated copper cables drawn in concealed 25 mm diameter Heavy Gauge PVC conduits complete with all the necessary accessories.				
A		2	No		
	13A Twin switched white moulded case socket outlet plates as MK, Clipsal, BG, Crabtree or an approved equivalent.				
B		2	No		
2.02	CONSUMER UNIT AND MCB's				
	4 way 63A SPN Consumer Unit as Schneider or an approved equivalent				
A		1	No.		
	10 Amps SP				
B		1	No.		
	20 Amps SP				
C		1	No.		
3.03	SUB-MAIN CABLING				
	4x6mm ² single core PVC insulated copper cables in 50mmØ concealed HG PVC conduits complete with appropriate cable glands and any other necessary accessory				
A		6	LM		
3.04	EARTHING				
	Earthing system Comprising Driving Stud and Earth Electrode Rod				
A		1	No		
	TOTAL ELEMENT NO. 7 ELECTRICAL WORKS				

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

ITEM	DESCRIPTION	PAGE	AMOUNT
1	VERANDAH AND RAMPS	2	0
2	INTERNAL FINISHES AND WALLING	3	0
3	EXTERNAL FINISHES	4	0
4	WINDOW AND DOOR FINISHES	5	0
5	EXTERNAL WORKS	6	0
6	ROOFING	7	0
7	ELECTRICAL INSTALLATIONS	8	0
TOTAL FOR BUILDERS WORKS			0

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

ITEM	DESCRIPTION	PAGE	AMOUNT
	<u>PROVISIONAL SUMS</u>		
A	ALLOW 3% PROVISIONAL SUM FOR PROJECT MANAGEMENT AND SUPERVISION		24,000
B	ALLOW 5% FOR PROJECT MANAGEMENT COMMITTEE(PMC)		40,000
C	ALLOW FOR BILLBOARD AND BRANDING		8,000
D	ALLOW 0.03 % FOR CAPACITY BUILDING LEVY		240
	PRIME COST (PC) & PROVISIONAL SUM CARRIED FORWARD TO COLLECTION PAGE		72,240

**PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS
AT IKEREGE BOARDING PRIMARY SCHOOL**

GENERAL GRAND SUMMARY PAGE

ITEM	DESCRIPTION	AMOUNT
1	PRELIMINARIES	
2	BUILDERS WORKS	
3	PRIME COST & PROVISIONAL SUM	72,240
SUB TOTAL		
4	ADD 16% VAT	
GRAND TOTAL FOR PROPOSED RENOVATION TO COMPLETION OF 2NO. CLASSROOMS AT IKEREGE BOARDING PRIMARY SCHOOL		

AMOUNT IN WORDS :

.....

MAIN CONTRACTOR.....

.....

ADDRESS.....

SIGNATURE.....

DATE.....

WITNESS

NAME.....

SIGNATURE.....

DATE.....