P.O.Box 30121-00100, Nairobi, Kenya
Tel: 0709-907 000, 0709-907 555
Email: info@krc.co.ke
Website: www.krc.co.ke

KENYA RAILWAYS
right on track

**ADDENDUM 1** **Date:** June 25, 2026

**TENDER NO. KR/SCM/FRA/001/2025-2026 -TENDER FOR SUPPLY & DELIVERY OF MGR LOCOMOTIVE SPAREPARTS UNDER FRAMEWORK AGREEMENT FOR THREE YEARS.**

Please take note of the following changes to the above advertised tender;


| No | Clause Reference | KR Response/Amendments |
|---|---|---|
| 1 | **Minimum Number of Tenderers (Section III, ITT 33.2)**<br><br>Price evaluation will be based on a Framework Agreement that is prices shall be based on unit rates quoted and the number of suppliers or contractors shall not be less than seven alternative vendors. | **Minimum Number of Tenderers (Section III, ITT 33.2)**<br><br>The minimum number of responsive tenderers shall be seven (7) as stated in the tender document |
| 2 | **Lot Structure and Manufacturer's Authorization Requirement (Section II, TDS ITT 1.1 & Mandatory Requirements)**<br><br>**ITT 1.1** The number and identification of lots (contracts) comprising this Invitation for Tenders is **Not applicable** | **Lot Structure and Manufacturer's Authorization Requirement**<br><br>The tender covers five schedules (Schedules 1–5). Tenderers must submit quotes for all schedules and provide valid Manufacturer's Authorization Letters for the respective items, in accordance with the requirements of the tender document. |
| 3 | **SECTION III - EVALUATION AND QUALIFICATION CRITERIA**<br><br>**ITT 2.2 Evaluation of Tenders preliminary evaluation – mandatory**<br><br>Provide evidence of access to credit lines of at least Kshs.500,000,000.00 (Kenya Shilling Five Hundred Million) issued on or before 26th June 2026 and addressed to The: Managing Director Kenya Railways P.O. Box 30121-00100 Nairobi. The letter should be undersigned by the bidder's bank | **SECTION III - EVALUATION AND QUALIFICATION CRITERIA**<br><br>**ITT 2.2 Evaluation of Tenders preliminary evaluation – mandatory**<br><br>Provide evidence of access to credit lines of at least Kshs.300,000,000.00 (Kenya Shilling Three Hundred Million) issued on or before 30th June 2026 and addressed to The: Managing Director Kenya Railways P.O. Box 30121-00100 Nairobi. The letter should be undersigned by the bidder's bank |

| | | |
|---|---|---|
| | authorized signatory/signatories and should be on the bank's letterhead. | authorized signatory/signatories and should be on the bank's letterhead. |
| 4 | **Price Schedule Forms**<br>**Schedule 5**<br><br>Please note that under Schedule 5, Items 106–185 are duplicates of Items 21–100. | **Revised price schedule**<br><br>Attached find revised Price Schedule |
| 5 | **ITT 27.1**<br>The deadline for Tender submission is:<br><br>**Date**: 26th June, 2026<br>**Time**:10.00 A.M<br><br>Tenderers ***shall not*** have the option of submitting their Tenders electronically. | **New Tender Closing and Opening date:**<br><br>**Date**: Friday 3rd July, 2026<br><br>**Time**:11.00 A.M<br><br>Tenderers shall not have the option of submitting their Tenders electronically. |

Benedict Kiema
**General Manager- SCM**

**Table 1: Revised Technical specifications for locomotive spare parts**

| Schedule 1: Spare Parts for 93XX and 94XX Locomotives | | | | |
|---|---|---|---|---|
| **S/N** | **Description** | **Part Number** | **UOM** | **Qty** |
| 1 | TRACTION MOTORS(COMPLETE) | 5GE761A23 | EA | 36 |
| 2 | BATTERY NIFE 18-6, 8 MONOBLOCKS TOTAL 64V DC PER LOCO ( EQUIVALENT SAFT 50SRX1700P) | 41A242441P2 | EA | 4 |
| 3 | VOLTAGE REGULATOR 72V DC | 17FH23D3 | EA | 12 |
| 4 | WELDED CYLINDER LINERS | 121X1260-2 | EA | 24 |
| 5 | SAFETY VALVE (65PSI) | 3X2304 | EA | 24 |
| 6 | COMPRESSOR DRIVE SHAFT | 41B515714G4 | EA | 4 |
| 7 | TURBO CHARGER | 126X1640 | EA | 4 |
| 8 | SAFETY VALVE (125PSI) | 499A924CCP7 | EA | 12 |
| 9 | RADIATOR | 41D704572P1 | EA | 4 |
| 10 | ANALOGUE CARDS | 1164355 | EA | 24 |
| 11 | COMPRESSOR COMPLETE (GADDNER-DENVER CO.) | 41A206171P2 | EA | 4 |
| 12 | DIGITAL CARDS | 1126090 | EA | 16 |
| 13 | WHEEL CENTRE | 41A241544VAP 1 | EA | 24 |
| 14 | MASTER CONROD | 117X1060 | EA | 12 |
| 15 | ART ROD | 117X1012-7 | EA | 12 |
| 16 | POWERAUTOMATIONCARDXOOE502 10197 | | EA | 2 |
| 17 | DIGITAL CARD | DL020 | EA | 2 |
| 18 | RADIATOR RIGHT SIDE | 9670055 | EA | 2 |
| 19 | RADIATOR LEFT SIDE | 9670056 | EA | 2 |
| 20 | SUSPENSION BEARRINGS | 41C633819G1 | EA | 144 |
| **Schedule 2: Filters for 93XX and 94XX Locomotives** | | | | |
| 1 | COMPRESSOR AIR FILTER | 84A207699P2 | EA | 184 |
| 2 | ENGINE AIR FILTERS | 41A216508P4 | EA | 2,024 |
| 3 | LUBE OIL FILTERS | 2X4223-E | EA | 736 |
| 4 | FUEL FILTERS | 132X1250-1 | EA | 92 |
| **Schedule 3: Composite Brake Blocks for Locomotives and Wagons** | | | | |
| 1 | COMPOSITE BRAKE | BLOCKS | EA | 56,736 |
| **Schedule 4: Traction Motor Spare Parts for 92XX, 93XX and 94XX Locomotives** | | | | |
| 1 | SPRING BRUSH BOX | 41A238759P1 | EA | 800 |



| | | | | |
|---|---|---|---|---|
| 2 | TEFLON | 41B537080P2 | EA | 180 |
| 3 | BELLOW(TM DUCT) CENTRE | 8836855P1 | EA | 180 |
| 4 | BELLOW(1,3,4,6) | 41B500680P1 | EA | 180 |
| 5 | TM'S MAIN POLES OPEN | 8855153G12 | EA | 40 |
| 6 | TM'S MAIN POLES CLOSED | 8855153G14 | EA | 40 |
| 7 | BOLT WITH WASHERS BRUSH PIG TAIL MOUNTING | 41A231439P2 | EA | 800 |
| 8 | TM CONNECTING STRAPS FLEXIBLE | 41A235688G1 | EA | 400 |
| 9 | BOLT FOR MOUNTING TM MAIN POLE | 41B537660P19 | EA | 320 |
| 10 | PINION APPLICANT | 84A204125G1 | EA | 10 |
| 11 | CABLE CLAMP | 41C614789P6 | EA | 80 |
| 12 | SHAFT | 8843544G1 | EA | 40 |
| 13 | TM CABLE TERMINALS | 8868241AAP16 | EA | 800 |
| 14 | TM INTERPOLE FIELD COIL | 8843549G4 | EA | 80 |
| 15 | TM BRUSH HOLDER | 41C637788G1 | EA | 360 |
| 16 | RETAINING PLATE | 8819127P1 | EA | 60 |
| 17 | RETAINING CAP | 41B530705P1 | EA | 60 |
| 18 | RETAINING COLLAR | 41A231426P1 | EA | 60 |
| 19 | GASKET | 8819142P1 | EA | 200 |
| 20 | FRAME HEAD | 41C630228P2 | EA | 60 |
| 21 | COLLAR | 41A231419P1 | EA | 60 |
| 22 | GASKET | 8819143P1 | EA | 200 |
| 23 | BOLT(HEX HEAD) | N22P33024 | EA | 400 |
| 24 | PINION | 41C635677P2 | EA | 200 |
| 25 | ROLLER BEARING, PINION END | 8864951P148 | EA | 200 |
| 26 | BALL BEARING, COMMUTATOR END | 8864950P169 | EA | 200 |
| 27 | AMARTURE,COMMUTATOR & SHAFT WITH PLUG | 8843544G1 | EA | 48 |
| 28 | SPRING SEAT (LOWER) | 41A233867G5 | EA | 1,600 |
| 29 | SPRING SEAT (UPPER) | 41A330248P1 | EA | 1,600 |
| 30 | CARBON BRUSH | 41A235897P4 | EA | 6,000 |
| 31 | CABLE WITH SWAGED TERMINALS, GROUNDING | 41B531227G7 | EA | 100 |
| 32 | CABLE ASSEMBLY | 41B537417G2 | EA | 100 |
| 33 | BOLT 7/8 INCH -9, 3 INCH LONG | N170P35052 | EA | 1,600 |
| 34 | WASHER | 4B537660P16 | EA | 1,600 |
| 35 | WICK, AXLE CAP LUBRICANT | 494A549P1 | EA | 800 |

| | | | | |
|---|---|---|---|---|
| 36 | BOLT WITH WASHERS BRUSH PIG TAIL MOUNTING | 41A231439P15 | EA | 1,600 |
| **Schedule 5: Spare Parts for CDD5F (97XX, 86XX and 75XX) Locomotives** | | | | |
| 1 | SIDE LADDER | QSJ64-72-05-100 | EA | 8 |
| 2 | TRACK-CLEANER | QSJ64-70-01-000 | EA | 2 |
| 3 | 24V DC POWER SUPPLY | 98006331 | EA | 2 |
| 4 | AC POWER SUPPLY | KLW70A-NBQ | EA | 2 |
| 5 | ACTION VALVE | 96000124 | EA | 2 |
| 6 | ADJUSTING PAD | QSJZ18-90-00-003-P1 | EA | 32 |
| 7 | ADJUSTING PAD | QSJ64-12-01-704 | EA | 2 |
| 8 | AIR CHANNEL | QSJZ40-50-02-100 | EA | 16 |
| 9 | AIR CONDITIONER | 90006893 | EA | 2 |
| 10 | AIR CONDITIONER COMPRESSOR | SHV130FFDC | EA | 2 |
| 11 | AIR DUCT | QSJZ15-403-100 | EA | 8 |
| 12 | AIR FILTER CURING INDICATOR OF AIR COMPRESSOR | 90006907 | EA | 4 |
| 13 | ANGLE COCK | 85000092 | EA | 4 |
| 14 | ANGLE COCK | 95000906 | EA | 4 |
| 15 | ANGLE COCK | 96000305 | EA | 4 |
| 16 | AVERAGE HOSE CONNECTOR ASSEMBLY | 15400088 | EA | 8 |
| 17 | AVERAGE HOSE ELBOW | 44251E | EA | 8 |
| 18 | BALL VALVE ADG32 | 23802018 | EA | 16 |
| 19 | BATTERY GATE KNIFE | 98006241 | EA | 2 |
| 20 | BLOCK RING | B1009001605302 | EA | 16 |
| 21 | BOLT | B1026702400611 | EA | 16 |
| 22 | BOLT | B1026705800611 | EA | 32 |
| 23 | BOLT | B1026700600611 | EA | 8 |
| 24 | BOLT | SFJT74-04-003 | EA | 20 |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT

| | | | | |
|---|---|---|---|---|
| 25 | BOLT | B1026705900602 | EA | 32 |
| 26 | BOLT | B1026602800622 | EA | 40 |
| 27 | BOLT | B1013104000622 | EA | 40 |
| 28 | BOLT | QSJ43-00-10-001 | EA | 16 |
| 29 | BOLT | B1026703700611 | EA | 16 |
| 30 | BOLT | B1001601700200 | EA | 40 |
| 31 | BOLT | B1026703800622 | EA | 32 |
| 32 | BOLT | B1000622100622 | EA | 32 |
| 33 | BOLT | B1026707000622 | EA | 32 |
| 34 | BOOST MODULE | 98000011 | EA | 20 |
| 35 | BRAKE CYLINDER HOSE ASSEMBLY | 15300072 | EA | 4 |
| 36 | BRAKE HOSE ASSEMBLY | B2001100300000 | EA | 4 |
| 37 | BRAKE SWITCHING VALVE | 85000221 | EA | 2 |
| 38 | BRAKE SWITCHING VALVE SEALS (KIT) | 95003430 | EA | 2 |
| 39 | BRAKE VALVE MAINTENANCE KIT | — | EA | 8 |
| 40 | BUSHING | QSJZ12-402-002 | EA | 8 |
| 41 | BUSHING | QSJZ12-402-003 | EA | 8 |
| 42 | CARRIER | QSJ19-54-00-005 | EA | 16 |
| 43 | CB STARTER MOTOR CARBON BRUSH | 37001036 | EA | 180 |
| 44 | COMPRESSOR MICRO SWITCH | 98018530 | EA | 4 |
| 45 | CONNECTING LINK PIN | QSJZ12-400-003 | EA | 8 |

| | | | | |
|---|---|---|---|---|
| 46 | CONNECTING ROD | QSJZ12-401-000 | EA | 4 |
| 47 | CONTACTOR | 98003025 | EA | 12 |
| 48 | COOLING FAN CIRCUIT BREAKER | — | EA | 4 |
| 49 | COUPLER & DRAFT GEARS | 85000768 | EA | 4 |
| 50 | COUPLER HOOK | 85000767 | EA | 40 |
| 51 | COUPLING COCK | 95002188 | EA | 4 |
| 52 | COUPLING COCK | 95002189 | EA | 4 |
| 53 | CURRENT SENSOR FOR TRACTION MOTOR | 40402230 | EA | 2 |
| 54 | DC AUXILIARY GENERATOR EXCITATION SENSOR | 98002877 | EA | 2 |
| 55 | DIODE ASSEMBLY | 39000541 | EA | 10 |
| 56 | DISTRIBUTION VALVE | 96000148 | EA | 2 |
| 57 | DOOR LOCK | 90009340 | EA | 4 |
| 58 | DOOR LOCK | 90006913 | EA | 12 |
| 59 | DRIVER DOOR WINDOW | 85000357 | EA | 4 |
| 60 | DUST CONTROL DAMPER | QSJ19-54-00-001 | EA | 16 |
| 61 | DUST PROOF RING | QSJ19-54-00-002 | EA | 16 |
| 62 | EARTH RELAY | 85000252 | EA | 2 |
| 63 | EXHAUST HOSE | BD5908 | EA | 8 |
| 64 | FAN COOLER | 98018486 | EA | 2 |
| 65 | FAN COOLER MOTOR | 98018442 | EA | 2 |
| 66 | FILTER ELEMENT | 95002775 | EA | 4 |
| 67 | FILTER ELEMENT | 95002776 | EA | 4 |
| 68 | FIXING COVER | QSJ10-52-10-006 | EA | 20 |
| 69 | FLANGE D40 | QSJ49-61-00-011 | EA | 8 |
| 70 | FUEL FILTER CAP | QSJZ8-50-02-400 | EA | 8 |
| 71 | GASKET | QSJZ15-403-001 | EA | 40 |
| 72 | GASKET | QSJ64-00-10-002-P1 | EA | 8 |
| 73 | GASKET | QSJ64-00-10-003-P1 | EA | 8 |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | |
|---|---|---|---|---|
| 74 | GASKET | QSJ64-00-10-004-P1 | EA | 8 |
| 75 | GASKET | QSJ64-00-10-005-P1 | EA | 8 |
| 76 | GLAND | QSJ19-54-00-007 | EA | 8 |
| 77 | GLASS | QSJ64-12-01-703 | EA | 2 |
| 78 | GLASS FOR DRIVER'S CAB ELECTRICAL ROOM DOOR | 85000356 | EA | 2 |
| 79 | GLASS FOR DRIVER'S CAB SIDE WINDOW | 90006915 | EA | 2 |
| 80 | GLASS FOR DRIVER'S CAB SIDE WINDOW | 90006916 | EA | 2 |
| 81 | GROUND WIRE | 95001230 | EA | 4 |
| 82 | HALF-ROUND PIN 10×25×20 | B2000903505000 | EA | 24 |
| 83 | HANDRAIL SET | QSJ64-70-02-000 | EA | 6 |
| 84 | HEADLAMP TUBE | 39501112 | EA | 8 |
| 85 | HEADLIGHT COVER | QSJ93-90-01-001 | EA | 4 |
| 86 | HIGH VOLTAGE COLLECTING EXCITATION BOARD | — | EA | 4 |
| 87 | HOSE | 15407677 | EA | 16 |
| 88 | HOSE CLAMP | B5001600900000 | EA | 32 |
| 89 | INSTALLATION FLANGE | QSJ30-61-00-014 | EA | 16 |
| 90 | JOINT BODY FOR ELECTRO-PNEUMATIC VALVE | B5007500205500 | EA | 4 |
| 91 | JZ-7GYV TYPE BRAKE VALVE | 23802070 | EA | 4 |
| 92 | LATERAL DAMPER | QSJZ39-20-11-100-P2 | EA | 8 |
| 93 | LIGHT | 39500134 | EA | 8 |
| 94 | LOCOMOTIVE HEADLAMP BALLAST | 39501113 | EA | 4 |
| 95 | MAIN AIR DUST FILTER | 96000813 | EA | 8 |
| 96 | MAIN AIR HOSE CONNECTOR | 15300025 | EA | 8 |

| | | | | |
|---|---|---|---|---|
| 97 | MAIN AIR TAPERED SLEEVE | QSJ22-61-00-009 | EA | 8 |
| 98 | MAIN RESERVOIR HOSE ASSEMBLY | B2008700100000 | EA | 8 |
| 99 | MINIMUM PRESSURE VALVE | 95001740 | EA | 50 |
| 100 | MULTIPLE UNIT VALVE | 96000160 | EA | 2 |
| 101 | Nut | B1027000201211 | EA | 16 |
| 102 | Nut | B1027000601211 | EA | 8 |
| 103 | Nut | B1015000301211 | EA | 32 |
| 104 | Nut | B1027000601222 | EA | 24 |
| 105 | Nut | B5003200201622 | EA | 16 |
| 106 | Observation window assembly | 97001198 | EA | 2 |
| 107 | Oil cup | B3000200200000 | EA | 16 |
| 108 | Oil cup | B3000300100000 | EA | 16 |
| 109 | Permanent magnet brushless DC motor | BLDD110/12A02 | EA | 4 |
| 110 | Pin | B1003900103822 | EA | 8 |
| 111 | Pin 3.2×20 | B1002602204100 | EA | 24 |
| 112 | Primary vertical damper | QSJZ39-20-11-100-P1 | EA | 16 |
| 113 | Rear light lampshade | 39501176 | EA | 2 |
| 114 | Rectifier fan | 95003347 | EA | 8 |
| 115 | Red marker light | 39500115 | EA | 8 |
| 116 | Relay valve | 96000013 | EA | 2 |
| 117 | Rubber stack | QSJZ12-301-000 | EA | 16 |
| 118 | Safety valve of air compressor | 115991-1 | EA | 4 |
| 119 | Sand box cover | 95001297 | EA | 16 |
| 120 | Sand pipe | QSJZ35-90-04-000 | EA | 4 |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT

| | | | | |
|---|---|---|---|---|
| 121 | Sand pipe | QSJZ35-90-01-000 | EA | 4 |
| 122 | Sand pipe | QSJZ35-90-03-000 | EA | 4 |
| 123 | Sand pipe | QSJZ35-90-02-000 | EA | 4 |
| 124 | Sander assembly | 95001156 | EA | 16 |
| 125 | Sealing gasket | QSJ64-12-01-702 | EA | 2 |
| 126 | Side stop assembly | QSJZ18-90-02-000 | EA | 8 |
| 127 | Soft hose for bogie connection frame | 15407726 | EA | 8 |
| 128 | Spacer bush | QSJ19-54-00-003 | EA | 16 |
| 129 | Spacer bush | QSJ19-54-00-009 | EA | 8 |
| 130 | Spherical | B1015900500000 | EA | 8 |
| 131 | Spherical angle cock | 23804289 | EA | 4 |
| 132 | Start contactor, contact and arc chute | 98001688 | EA | 2 |
| 133 | Stone sweeper | QSJZ35-00-01-000 | EA | 8 |
| 134 | Support | QSJ64-00-10-300 | EA | 4 |
| 135 | Support seat | QSJ64-00-10-001 | EA | 8 |
| 136 | Taper sleeve pipe | QSJ21-61-00-006 | EA | 4 |
| 137 | Tapered sleeve | QSJ41A-61-00-001 | EA | 8 |
| 138 | Traction bar assembly | QSJZ12-403-000 | EA | 4 |
| 139 | Traction bar pin | QSJ19-54-00-008 | EA | 8 |
| 140 | Traction pin | QSJ19-54-00-004 | EA | 8 |
| 141 | Train pipe dust filter | 96000814 | EA | 16 |

| | | | | |
|---|---|---|---|---|
| 142 | Turbocharger exhaustion gasket | QSJ64-00-10-006 | EA | 2 |
| 143 | Vane arm | QSJZ12-402-001 | EA | 4 |
| 144 | Vane arm pin | QSJZ12-400-001 | EA | 8 |
| 145 | Washer | B10027013053 11 | EA | 16 |
| 146 | Washer | B10027016053 11 | EA | 32 |
| 147 | Washer | B10031011032 11 | EA | 24 |
| 148 | Washer | B10027012053 11 | EA | 24 |
| 149 | Washer | B10031013032 22 | EA | 24 |
| 150 | Washer | B10027016053 22 | EA | 24 |
| 151 | Washer | B10027012053 02 | EA | 40 |
| 152 | Washer | B10031002032 22 | EA | 16 |
| 153 | Washer | QSJ11-54-00-001-P1 | EA | 8 |
| 154 | Washer | B10027015053 22 | EA | 32 |
| 155 | Washer | QSJ19-54-00-006 | EA | 16 |
| 156 | Wiper for driver's cab window | 85000117 | EA | 4 |
| 157 | AC oil filter | 95000934W | EA | 384 |
| 158 | AC oil fine separator | 95001248 | EA | 112 |
| 159 | Action valve | 96000124 | EA | 2 |
| 160 | Air dryer maintenance kit | 95003026 | EA | 8 |
| 161 | Air inlet valve | QSQT56-00-00-000A-Z3 | EA | 2 |
| 162 | Air outlet valve | QSQT56-00-00-000-Z1 | EA | 2 |
| 163 | Alternator isolator | 99009611 | EA | 8 |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | |
|---|---|---|---|---|
| 164 | Auxiliary lamp | 39500134 | EA | 40 |
| 165 | Auxiliary valve spring | 98002106 | EA | 4 |
| 166 | Averaging tube hose connector assembly | 15400088 | EA | 8 |
| 167 | Balance valve assembly | 95001677 | EA | 4 |
| 168 | Balance valve spring | 98002096 | EA | 4 |
| 169 | Ball contactor DN10 | B5007700405500 | EA | 20 |
| 170 | Battery switch | 98006241 | EA | 4 |
| 171 | Block valve aligning spring | 98002093 | EA | 4 |
| 172 | Block valve spring | 98002092 | EA | 4 |
| 173 | Blower speed sensor | 40400104 | EA | 4 |
| 174 | Brake cylinder hose assembly | 15300072 | EA | 64 |
| 175 | Brake hose connector assembly 715 | B2001100300000 | EA | 8 |
| 176 | Braking control maintenance kit SZ-1 | 95003412 | EA | 200 |
| 177 | Braking changing valve | 85000221 | EA | 2 |
| 178 | CB of air compressor motor | 37001034 | EA | 768 |
| 179 | CB of DB Motor | 37001011 | EA | 256 |
| 180 | CB of starter motor | 37001036 | EA | 320 |
| 181 | CB of traction motor | 37001032 | EA | 3000 |
| 182 | Check valve | 95002113 | EA | 4 |
| 183 | Check valve spring | 98002098 | EA | 8 |
| 184 | Check valve spring | 98002103 | EA | 4 |
| 185 | Clamps d130 | B5001601500000 | EA | 16 |
| 186 | CLAMPS(D=86) | 95001522 | EA | 64 |
| 187 | CLAMPS(D44) | B50016008000000 | EA | 380 |
| 188 | COLD PRESSED END (1.5 SHEATH) | 39006310 | EA | 100 |
| 189 | COLD PRESSED END (2.5 SHEATH) | 39006311 | EA | 100 |
| 190 | COLD PRESSED TERMINAL | 39000396 | EA | 20 |

| | | | | |
|---|---|---|---|---|
| 191 | COPPER JOINTS 39000195 / | ETC. | EA | 10 |
| 192 | COPPER JOINT | 39000049 | EA | 10 |
| 193 | COPPER JOINT | 39000038 | EA | 10 |
| 194 | COPPER JOINT | 39000062 | EA | 10 |
| 195 | COPPER JOINT | 39000019 | EA | 60 |
| 196 | COPPER JOINT | 39000165 | EA | 60 |
| 197 | COTTER PIN 1.5*10 | VARIOUS | EA | 32 |
| 198 | COTTER PIN 2*12 | B1002604804000 | EA | 32 |
| 199 | COTTER PIN 2*20 | B1002600704000 | EA | 40 |
| 200 | COVER OF NORMAL PRESSURE LIMIT VALVE | 90001010 | EA | 4 |
| 201 | DISTRIBUTION VALVE | 96000148 | EA | 2 |
| 202 | DOOR LOCK COMPOSITION 90006911 / | 90006912 | EA | 12 |
| 203 | DOOR LOCK COMPOSITION | 90006912 | EA | 12 |
| 204 | DOOR WIPER BLADE | 90002459 | EA | 48 |
| 205 | DOOR WIPER MOTOR | 90007245 | EA | 12 |
| 206 | DRAINAGE VALVE | QSQT56-00-00-000-Z4 | EA | 2 |
| 207 | DRY LUBRICATING ROD (20X40X150) | 95000679 | EA | 1280 |
| 208 | DUST FILTER ASSEMBLY | 90000957 | EA | 2 |
| 209 | EJECTOR ROD | 95002079 | EA | 4 |
| 210 | ELASTIC RETAINING RING 40 | B1009000405302 | EA | 4 |
| 211 | ELECTRONIC CONTROL VALVE | QSQT56-00-00-000A-Z2 | EA | 2 |
| 212 | EXHAUST VALVE | 23802105 | EA | 64 |
| 213 | EXHAUST VALVE RECOVER SPRING | 98002097 | EA | 4 |
| 214 | EXHAUST VALVE RETAINING RING | 96000094 | EA | 4 |
| 215 | EXHAUST VALVE SPRING 98002090 / | 98002100 | EA | 8 |
| 216 | EXHAUST VALVE SPRING | 98002090 | EA | 4 |
| 217 | EXHAUST VALVE SPRING | 98002100 | EA | 4 |
| 218 | FEED VALVE COVER RETAINING RING | 96000095 | EA | 4 |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT

| | | | | |
|---|---|---|---|---|
| 219 | FIXING SPRING | 95002086 | EA | 4 |
| 220 | FRONT SPRING | 98002088 | EA | 8 |
| 221 | GALVANIZED STEEL WIRE SZ-1.6 | 5202005 | EA | 20 |
| 222 | GALVANIZED STEEL WIRE Φ2 | 5202006 | EA | 20 |
| 223 | GEAR CASE OIL TOP UP ASSEMBLY | QSJZ8-50-02-400 | EA | 16 |
| 224 | GP-9 SILICONE GREASE | 13103004 | EA | 8 |
| 225 | HANDLE SPRING | 5203043 | EA | 8 |
| 226 | HEADLAMP TUBE | 39501112 | EA | 24 |
| 227 | HEMISPHERICAL ANGLE COCK | 23804289 | EA | 4 |
| 228 | HEMISPHERICAL ANGLE COCK | 95000906 | EA | 4 |
| 229 | HEMISPHERICAL ANGLE COCK (LEFT) | 85000092 | EA | 4 |
| 230 | HANDLE SPRING | 98002086 | EA | 8 |
| 231 | HOSE ASSEMBLY | 15309285 | EA | 32 |
| 232 | HOSE CLAMP D50 | B5001600900000 | EA | 72 |
| 233 | HOSE L=452 | 15407724 | EA | 2 |
| 234 | HOSE PIPE (Φ115×5) | 15309255 | EA | 8 |
| 235 | HOSE PIPE (Φ76×4.5) | 15309252 | EA | 16 |
| 236 | INFLATION VALVE SPRING | 98002105 | EA | 4 |
| 237 | I-SHAPED WASHER FOR BRAKE HOSE CONNECTOR ASSEMBLY | B2001300111300 | EA | 32 |
| 238 | I-SHAPED WASHER OF AVERAGE PIPE CONNECTOR ASSEMBLY | B2001300111300 | EA | 32 |
| 239 | I-SHAPED WASHER OF MAIN AIR HOSE CONNECTOR ASSEMBLY | B2001300111300 | EA | 32 |
| 240 | JZ-7GYV BRAKE VALVE | 23802070 | EA | 15 |
| 241 | KEEPING VALVE SPRING | 98002099 | EA | 4 |
| 242 | KEEPING VALVE ASSEMBLY | 96000099 | EA | 4 |
| 243 | LATERAL DAMPER | QSJZ39-20-11-100-P2 | EA | 8 |
| 244 | LOCOMOTIVE ANGLE COCK | 96000305 | EA | 4 |
| 245 | MAGNETIC LIMIT SWITCH | 40402165 | EA | 2 |
| 246 | MAIN AIR DUSTER | 96000813 | EA | 48 |
| 247 | MAIN AIR HOSE CONNECTOR ASSEMBLY | 15300025 | EA | 8 |
| 248 | MAIN CONTACT OF AIR COMPRESSOR CONTACTOR | 98001786 | EA | 32 |

| | | | | |
|---|---|---|---|---|
| 249 | MAIN CONTACT OF OIL PUMP AND GENERATOR EXCITATION CONTACTOR | 98007290 | EA | 64 |
| 250 | MAIN CONTACT OF STARTING CONTACTOR | 98001786 | EA | 32 |
| 251 | MAIN CONTACT OF TM CONTACTOR | 98006415 | EA | 84 |
| 252 | MAIN FILTER OF AC | 95002775 | EA | 384 |
| 253 | NORMAL PRESSURE LIMIT VALVE SPRING | 98002102 | EA | 4 |
| 254 | NUT M27×2 | B5007800405500 | EA | 20 |
| 255 | O-RING SEALING 16×2.4 | B5001300211100 | EA | 64 |
| 256 | O-RING SEALING 22×2.4 | B5001300411100 | EA | 64 |
| 257 | O-RING SEALING 307×5.3-G-N | B1011909618700 | EA | 40 |
| 258 | O-RING SEALING 475×8.6 | QSJ7-13-10-003 | EA | 40 |
| 259 | OIL CUP 45° M10×1 | B3000300100000 | EA | 120 |
| 260 | OIL CUP M10×1 | B3000200200000 | EA | 120 |
| 261 | OIL CUP M8×1 | B3000200300000 | EA | 120 |
| 262 | PARTIAL REDUCING CHECK VALVE | 90001004 | EA | 4 |
| 263 | PIN 4×10 | B1003802604902 | EA | 64 |
| 264 | PIN 6×32 | B1003803905000 | EA | 64 |
| 265 | PIN 8×30 | B1008601405302 | EA | 64 |
| 266 | PIN M3×8 | B1003802204902 | EA | 8 |
| 267 | PIN SHAFT A4×16 | B1008807204900 | EA | 16 |
| 268 | PLUNGER OF NORMAL PRESSURE LIMIT VALVE | 90002978 | EA | 4 |
| 269 | PLUNGER SPRING | 98002085 | EA | 8 |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT

| | | | | |
|---|---|---|---|---|
| 270 | PRESSURE DECREASING VALVE | 95000973 | EA | 2 |
| 271 | PRESSURE SENSOR | 40400061 | EA | 12 |
| 272 | PRIMARY VERTICAL SHOCK ABSORBER | QSJZ39-20-11-100-P1 | EA | 16 |
| 273 | PTFE TAPE | 15606003 | EA | 8 |
| 274 | RADIANT CROSS CAR LINE | 34302027 | EA | 2 |
| 275 | RADIATION CROSSLINKING ULTRA-THIN RAILWAY LOCOMOTIVE LINE | 34203006 | EA | 2 |
| 276 | READING LAMP | 39500136 | EA | 16 |
| 277 | REAR SPRING | 98002087 | EA | 8 |
| 278 | RECOVER SPRING | 98002104 | EA | 4 |
| 279 | RECTANGLE WASHER | DLJ6-04-01-075A-Z2 | EA | 24 |
| 280 | RED MARKER LAMP | 39500115 | EA | 16 |
| 281 | RELAY VALVE | 96000013 | EA | 2 |
| 282 | RELEASE PLUNGER VALVE | 95002096 | EA | 8 |
| 283 | RELEASE VALVE SPRING | 98002089 | EA | 8 |
| 284 | RELEASING SPRING | 98002095 | EA | 4 |
| 285 | ROLLER | 95000278 | EA | 24 |
| 286 | RUBBER RING | 23802106 | EA | 64 |
| 287 | SAFETY FILTER OF AC | 95002776 | EA | 384 |
| 288 | SAFETY VALVE | 95001120 | EA | 4 |
| 289 | SANDING ASSEMBLY | 95001156 | EA | 8 |
| 290 | SANDING BOX COVER ASSEMBLY | 95001297 | EA | 20 |
| 291 | SANDING HOSE | 15407677 | EA | 72 |
| 292 | SANDING HOSE (I) | 15407726 | EA | 48 |
| 293 | SANDING NOZZLE | QSJZ19-90-00-002 | EA | 380 |
| 294 | SANDING PIPE | QSJZ35-90-02-000 | EA | 4 |
| 295 | SANDING PIPE | QSJZ35-90-03-000 | EA | 4 |
| 296 | SEAL | 15404201 | EA | 64 |
| 297 | SEALING RUBBER PAD | DLJ6-04-01-075A-Z5 | EA | 24 |
| 298 | SELF VALVE ADJUSTING VALVE MOFLE ASSEMBLY | 90001661 | EA | 8 |

| | | | | |
|---|---|---|---|---|
| 299 | SELF VALVE ADJUSTING VALVE PLUNGER ASSEMBLY | 90001660 | EA | 8 |
| 300 | SENSOR OF LIMIT SWITCH | 40402164 | EA | 2 |
| 301 | SIDE STOPPER | QSJZ18-90-02-000 | EA | 16 |
| 302 | SINGLE RELEASE VALVE | 95001655 | EA | 8 |
| 303 | SINGLE VALVE ADJUSTING VALVE MOFLE ASSEMBLY | 90001659 | EA | 8 |
| 304 | SINGLE VALVE ADJUSTING VALVE PLUNGER ASSEMBLY | 90001658 | EA | 8 |
| 305 | SINGLE VALVE ADJUSTING VALVE SPRING | 5203038 | EA | 8 |
| 306 | SOLENOID VALVE 1 | 23802172 | EA | 4 |
| 307 | SOLENOID VALVE 2 | 23802033 | EA | 4 |
| 308 | SPACER BLOCK | 19008210 | EA | 200 |
| 309 | SPRING | 96000343 | EA | 64 |
| 310 | SPRING RETAINING RING | 96000153 | EA | 4 |
| 311 | TANDEM PLUNGER VALVE | 95002095 | EA | 8 |
| 312 | TANDEM WORKING VALVE | 96000160 | EA | 2 |
| 313 | TEMP SENSOR | 40400064 | EA | 10 |
| 314 | TERMINAL BLOCK WITH INSULATING SLEEVE | 39000061 | EA | 120 |
| 315 | TERMINAL BLOCK WITH INSULATING SLEEVE | 39000063 | EA | 120 |
| 316 | TERMINAL BLOCK WITH INSULATING SLEEVE | 39000066 | EA | 120 |
| 317 | TERMINAL BLOCK WITH INSULATING SLEEVE | 39000057 | EA | 120 |
| 318 | TERMINAL BLOCK WITH INSULATING SLEEVE | 39000164 | EA | 50 |
| 319 | TERMINAL BLOCK WITH INSULATING SLEEVE | 39000017 | EA | 20 |
| 320 | TERMINAL BLOCKS | 33109185 | EA | 20 |
| 321 | TOP LIGHT | 39500135 | EA | 16 |
| 322 | TRAIN PIPE DUSTER | 96000814 | EA | 64 |
| 323 | TRANSIT CONTACTOR | QSJ39-62-07-004 | EA | 10 |
| 324 | UNDERBODY LAMP | 39500116 | EA | 22 |
| 325 | UNIT BRAKE 1 | QSJZ35-60-02-000 | EA | 2 |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT

| | | | | |
|---|---|---|---|---|
| 326 | UNIT BRAKE 2 | QSJZ35-60-03-000 | EA | 2 |
| 327 | UNIT BRAKE 3 | QSJZ35-60-04-000 | EA | 2 |
| 328 | UNIT BRAKE 4 | QSJZ35-60-05-000 | EA | 2 |
| 329 | UNIT BRAKE 5 | QSJZ35-60-06-000 | EA | 2 |
| 330 | URGENTLY PRESSURE LIMIT SPRING | 98002101 | EA | 4 |
| 331 | VALVE SPRING | 98002084 | EA | 32 |
| 332 | VOLTAGE SENSOR | 40402231 | EA | 50 |
| 333 | WINDOW WIPER BLADE | 90002459 | EA | 24 |
| 334 | WINDOW WIPER MOTOR | 90007245 | EA | 12 |
| 335 | ZOOM IN ON THE TOP BAR | 95000277 | EA | 16 |
| 336 | 97XX LOCO TRACTION MOTORS | ZQDR310G | EA | 12 |
| 337 | BRAKE SWITCHING VALVE SEALS(KIT) | 95003430 | EA | 100 |

1. **Revised List of Goods and Delivery Schedule**

*[This table shall be filled in by the Procuring Entity. The Required Completion Dates should be realistic, and consistent with the required Goods Delivery Dates (as per Incoterms)].*

| Schedule 1: Spare Parts for 93XX and 94XX Locomotives | | | | | |
|---|---|---|---|---|---|
| **S/N** | **Description** | **Part Number** | **UOM** | **Qty** | **BIDDER TO PROPOSE SHORTEST DELIVERY PERIOD** |
| 1 | TRACTION MOTORS(COMPLETE) | 5GE761A23 | EA | 36 | |
| 2 | BATTERY NIFE 18-6, 8 MONOBLOCKS TOTAL 64V DC PER LOCO ( EQUIVALENT SAFT 50SRX1700P) | 41A242441P2 | EA | 4 | |
| 3 | VOLTAGE REGULATOR 72V DC | 17FH23D3 | EA | 12 | |
| 4 | WELDED CYLINDER LINERS | 121X1260-2 | EA | 24 | |
| 5 | SAFETY VALVE (65PSI) | 3X2304 | EA | 24 | |
| 6 | COMPRESSOR DRIVE SHAFT | 41B515714G4 | EA | 4 | |
| 7 | TURBO CHARGER | 126X1640 | EA | 4 | |
| 8 | SAFETY VALVE (125PSI) | 499A924CCP7 | EA | 12 | |
| 9 | RADIATOR | 41D704572P1 | EA | 4 | |
| 10 | ANALOGUE CARDS | 1164355 | EA | 24 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | |
|---|---|---|---|---|---|
| 11 | COMPRESSOR COMPLETE (GADDNER-DENVER CO.) | 41A206171P2 | EA | 4 | |
| 12 | DIGITAL CARDS | 1126090 | EA | 16 | |
| 13 | WHEEL CENTRE | 41A241544VAP1 | EA | 24 | |
| 14 | MASTER CONROD | 117X1060 | EA | 12 | |
| 15 | ART ROD | 117X1012-7 | EA | 12 | |
| 16 | POWERAUTOMATIONCARDXOOE50210197 | | EA | 2 | |
| 17 | DIGITAL CARD | DL020 | EA | 2 | |
| 18 | RADIATOR RIGHT SIDE | 9670055 | EA | 2 | |
| 19 | RADIATOR LEFT SIDE | 9670056 | EA | 2 | |
| 20 | SUSPENSION BEARRINGS | 41C633819G1 | EA | 144 | |
| **Schedule 2: Filters for 93XX and 94XX Locomotives** | | | | | |
| 1 | COMPRESSOR AIR FILTER | 84A207699P2 | EA | 184 | |
| 2 | ENGINE AIR FILTERS | 41A216508P4 | EA | 2,024 | |
| 3 | LUBE OIL FILTERS | 2X4223-E | EA | 736 | |
| 4 | FUEL FILTERS | 132X1250-1 | EA | 92 | |
| **Schedule 3: Composite Brake Blocks for Locomotives and Wagons** | | | | | |
| 1 | COMPOSITE BRAKE | BLOCKS | EA | 56,736 | |
| **Schedule 4: Traction Motor Spare Parts for 92XX, 93XX and 94XX Locomotives** | | | | | |
| 1 | SPRING BRUSH BOX | 41A238759P1 | EA | 800 | |
| 2 | TEFLON | 41B537080P2 | EA | 180 | |

| | | | | | |
|---|---|---|---|---|---|
| 3 | BELLOW(TM DUCT) CENTRE | 8836855P1 | EA | 180 | |
| 4 | BELLOW(1,3,4,6) | 41B500680P1 | EA | 180 | |
| 5 | TM'S MAIN POLES OPEN | 8855153G12 | EA | 40 | |
| 6 | TM'S MAIN POLES CLOSED | 8855153G14 | EA | 40 | |
| 7 | BOLT WITH WASHERS BRUSH PIG TAIL MOUNTING | 41A231439P2 | EA | 800 | |
| 8 | TM CONNECTING STRAPS FLEXIBLE | 41A235688G1 | EA | 400 | |
| 9 | BOLT FOR MOUNTING TM MAIN POLE | 41B537660P19 | EA | 320 | |
| 10 | PINION APPLICANT | 84A204125G1 | EA | 10 | |
| 11 | CABLE CLAMP | 41C614789P6 | EA | 80 | |
| 12 | SHAFT | 8843544G1 | EA | 40 | |
| 13 | TM CABLE TERMINALS | 8868241AAP16 | EA | 800 | |
| 14 | TM INTERPOLE FIELD COIL | 8843549G4 | EA | 80 | |
| 15 | TM BRUSH HOLDER | 41C637788G1 | EA | 360 | |
| 16 | RETAINING PLATE | 8819127P1 | EA | 60 | |
| 17 | RETAINING CAP | 41B530705P1 | EA | 60 | |
| 18 | RETAINING COLLAR | 41A231426P1 | EA | 60 | |
| 19 | GASKET | 8819142P1 | EA | 200 | |
| 20 | FRAME HEAD | 41C630228P2 | EA | 60 | |
| 21 | COLLAR | 41A231419P1 | EA | 60 | |
| 22 | GASKET | 8819143P1 | EA | 200 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | |
|---|---|---|---|---|---|
| 23 | BOLT(HEX HEAD) | N22P33024 | EA | 400 | |
| 24 | PINION | 41C635677P2 | EA | 200 | |
| 25 | ROLLER BEARING, PINION END | 8864951P148 | EA | 200 | |
| 26 | BALL BEARING, COMMUTATOR END | 8864950P169 | EA | 200 | |
| 27 | AMARTURE,COMMUTATOR & SHAFT WITH PLUG | 8843544G1 | EA | 48 | |
| 28 | SPRING SEAT (LOWER) | 41A233867G5 | EA | 1,600 | |
| 29 | SPRING SEAT (UPPER) | 41A330248P1 | EA | 1,600 | |
| 30 | CARBON BRUSH | 41A235897P4 | EA | 6,000 | |
| 31 | CABLE WITH SWAGED TERMINALS, GROUNDING | 41B531227G7 | EA | 100 | |
| 32 | CABLE ASSEMBLY | 41B537417G2 | EA | 100 | |
| 33 | BOLT 7/8 INCH -9, 3 INCH LONG | N170P35052 | EA | 1,600 | |
| 34 | WASHER | 4B537660P16 | EA | 1,600 | |
| 35 | WICK, AXLE CAP LUBRICANT | 494A549P1 | EA | 800 | |
| 36 | BOLT WITH WASHERS BRUSH PIG TAIL MOUNTING | 41A231439P15 | EA | 1,600 | |
| **Schedule 5: Spare Parts for CDD5F (97XX, 86XX and 75XX) Locomotives** | | | | | |
| 1 | SIDE LADDER | QSJ64-72-05-100 | EA | 8 | |
| 2 | TRACK-CLEANER | QSJ64-70-01-000 | EA | 2 | |
| 3 | 24V DC POWER SUPPLY | 98006331 | EA | 2 | |
| 4 | AC POWER SUPPLY | KLW70A-NBQ | EA | 2 | |

SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | |
|---|---|---|---|---|---|
| 5 | ACTION VALVE | 96000124 | EA | 2 | |
| 6 | ADJUSTING PAD | QSJZ18-90-00-003-P1 | EA | 32 | |
| 7 | ADJUSTING PAD | QSJ64-12-01-704 | EA | 2 | |
| 8 | AIR CHANNEL | QSJZ40-50-02-100 | EA | 16 | |
| 9 | AIR CONDITIONER | 90006893 | EA | 2 | |
| 10 | AIR CONDITIONER COMPRESSOR | SHV130FFDC | EA | 2 | |
| 11 | AIR DUCT | QSJZ15-403-100 | EA | 8 | |
| 12 | AIR FILTER CURING INDICATOR OF AIR COMPRESSOR | 90006907 | EA | 4 | |
| 13 | ANGLE COCK | 85000092 | EA | 4 | |
| 14 | ANGLE COCK | 95000906 | EA | 4 | |
| 15 | ANGLE COCK | 96000305 | EA | 4 | |
| 16 | AVERAGE HOSE CONNECTOR ASSEMBLY | 15400088 | EA | 8 | |
| 17 | AVERAGE HOSE ELBOW | 44251E | EA | 8 | |
| 18 | BALL VALVE ADG32 | 23802018 | EA | 16 | |
| 19 | BATTERY GATE KNIFE | 98006241 | EA | 2 | |
| 20 | BLOCK RING | B1009001605302 | EA | 16 | |
| 21 | BOLT | B1026702400611 | EA | 16 | |
| 22 | BOLT | B1026705800611 | EA | 32 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | |
|---|---|---|---|---|---|
| 23 | BOLT | B1026700600611 | EA | 8 | |
| 24 | BOLT | SFJT74-04-003 | EA | 20 | |
| 25 | BOLT | B1026705900602 | EA | 32 | |
| 26 | BOLT | B1026602800622 | EA | 40 | |
| 27 | BOLT | B1013104000622 | EA | 40 | |
| 28 | BOLT | QSJ43-00-10-001 | EA | 16 | |
| 29 | BOLT | B1026703700611 | EA | 16 | |
| 30 | BOLT | B1001601700200 | EA | 40 | |
| 31 | BOLT | B1026703800622 | EA | 32 | |
| 32 | BOLT | B1000622100622 | EA | 32 | |
| 33 | BOLT | B1026707000622 | EA | 32 | |
| 34 | BOOST MODULE | 98000011 | EA | 20 | |
| 35 | BRAKE CYLINDER HOSE ASSEMBLY | 15300072 | EA | 4 | |
| 36 | BRAKE HOSE ASSEMBLY | B2001100300000 | EA | 4 | |
| 37 | BRAKE SWITCHING VALVE | 85000221 | EA | 2 | |
| 38 | BRAKE SWITCHING VALVE SEALS (KIT) | 95003430 | EA | 2 | |
| 39 | BRAKE VALVE MAINTENANCE KIT | — | EA | 8 | |
| 40 | BUSHING | QSJZ12-402-002 | EA | 8 | |
| 41 | BUSHING | QSJZ12-402-003 | EA | 8 | |
| 42 | CARRIER | QSJ19-54-00-005 | EA | 16 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | |
|---|---|---|---|---|---|
| 43 | CB STARTER MOTOR CARBON BRUSH | 37001036 | EA | 180 | |
| 44 | COMPRESSOR MICRO SWITCH | 98018530 | EA | 4 | |
| 45 | CONNECTING LINK PIN | QSJZ12-400-003 | EA | 8 | |
| 46 | CONNECTING ROD | QSJZ12-401-000 | EA | 4 | |
| 47 | CONTACTOR | 98003025 | EA | 12 | |
| 48 | COOLING FAN CIRCUIT BREAKER | — | EA | 4 | |
| 49 | COUPLER & DRAFT GEARS | 85000768 | EA | 4 | |
| 50 | COUPLER HOOK | 85000767 | EA | 40 | |
| 51 | COUPLING COCK | 95002188 | EA | 4 | |
| 52 | COUPLING COCK | 95002189 | EA | 4 | |
| 53 | CURRENT SENSOR FOR TRACTION MOTOR | 40402230 | EA | 2 | |
| 54 | DC AUXILIARY GENERATOR EXCITATION SENSOR | 98002877 | EA | 2 | |
| 55 | DIODE ASSEMBLY | 39000541 | EA | 10 | |
| 56 | DISTRIBUTION VALVE | 96000148 | EA | 2 | |
| 57 | DOOR LOCK | 90009340 | EA | 4 | |
| 58 | DOOR LOCK | 90006913 | EA | 12 | |
| 59 | DRIVER DOOR WINDOW | 85000357 | EA | 4 | |
| 60 | DUST CONTROL DAMPER | QSJ19-54-00-001 | EA | 16 | |
| 61 | DUST PROOF RING | QSJ19-54-00-002 | EA | 16 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS


| | | | | | |
|---|---|---|---|---|---|
| 62 | EARTH RELAY | 85000252 | EA | 2 | |
| 63 | EXHAUST HOSE | BD5908 | EA | 8 | |
| 64 | FAN COOLER | 98018486 | EA | 2 | |
| 65 | FAN COOLER MOTOR | 98018442 | EA | 2 | |
| 66 | FILTER ELEMENT | 95002775 | EA | 4 | |
| 67 | FILTER ELEMENT | 95002776 | EA | 4 | |
| 68 | FIXING COVER | QSJ10-52-10-006 | EA | 20 | |
| 69 | FLANGE D40 | QSJ49-61-00-011 | EA | 8 | |
| 70 | FUEL FILTER CAP | QSJZ8-50-02-400 | EA | 8 | |
| 71 | GASKET | QSJZ15-403-001 | EA | 40 | |
| 72 | GASKET | QSJ64-00-10-002-P1 | EA | 8 | |
| 73 | GASKET | QSJ64-00-10-003-P1 | EA | 8 | |
| 74 | GASKET | QSJ64-00-10-004-P1 | EA | 8 | |
| 75 | GASKET | QSJ64-00-10-005-P1 | EA | 8 | |
| 76 | GLAND | QSJ19-54-00-007 | EA | 8 | |
| 77 | GLASS | QSJ64-12-01-703 | EA | 2 | |
| 78 | GLASS FOR DRIVER'S CAB ELECTRICAL ROOM DOOR | 85000356 | EA | 2 | |

GENERAL MANAGER
CHAIN MANAGEMENT

| | | | | | |
|---|---|---|---|---|---|
| 79 | GLASS FOR DRIVER'S CAB SIDE WINDOW | 90006915 | EA | 2 | |
| 80 | GLASS FOR DRIVER'S CAB SIDE WINDOW | 90006916 | EA | 2 | |
| 81 | GROUND WIRE | 95001230 | EA | 4 | |
| 82 | HALF-ROUND PIN 10×25×20 | B2000903505000 | EA | 24 | |
| 83 | HANDRAIL SET | QSJ64-70-02-000 | EA | 6 | |
| 84 | HEADLAMP TUBE | 39501112 | EA | 8 | |
| 85 | HEADLIGHT COVER | QSJ93-90-01-001 | EA | 4 | |
| 86 | HIGH VOLTAGE COLLECTING EXCITATION BOARD | — | EA | 4 | |
| 87 | HOSE | 15407677 | EA | 16 | |
| 88 | HOSE CLAMP | B5001600900000 | EA | 32 | |
| 89 | INSTALLATION FLANGE | QSJ30-61-00-014 | EA | 16 | |
| 90 | JOINT BODY FOR ELECTRO-PNEUMATIC VALVE | B5007500205500 | EA | 4 | |
| 91 | JZ-7GYV TYPE BRAKE VALVE | 23802070 | EA | 4 | |
| 92 | LATERAL DAMPER | QSJZ39-20-11-100-P2 | EA | 8 | |
| 93 | LIGHT | 39500134 | EA | 8 | |
| 94 | LOCOMOTIVE HEADLAMP BALLAST | 39501113 | EA | 4 | |
| 95 | MAIN AIR DUST FILTER | 96000813 | EA | 8 | |
| 96 | MAIN AIR HOSE CONNECTOR | 15300025 | EA | 8 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | |
|---|---|---|---|---|---|
| 97 | MAIN AIR TAPERED SLEEVE | QSJ22-61-00-009 | EA | 8 | |
| 98 | MAIN RESERVOIR HOSE ASSEMBLY | B2008700100000 | EA | 8 | |
| 99 | MINIMUM PRESSURE VALVE | 95001740 | EA | 50 | |
| 100 | MULTIPLE UNIT VALVE | 96000160 | EA | 2 | |
| 101 | Nut | B1027000201211 | EA | 16 | |
| 102 | Nut | B1027000601211 | EA | 8 | |
| 103 | Nut | B1015000301211 | EA | 32 | |
| 104 | Nut | B1027000601222 | EA | 24 | |
| 105 | Nut | B5003200201622 | EA | 16 | |
| 106 | Observation window assembly | 97001198 | EA | 2 | |
| 107 | Oil cup | B3000200200000 | EA | 16 | |
| 108 | Oil cup | B3000300100000 | EA | 16 | |
| 109 | Permanent magnet brushless DC motor | BLDD110/12A02 | EA | 4 | |
| 110 | Pin | B1003900103822 | EA | 8 | |
| 111 | Pin 3.2×20 | B1002602204100 | EA | 24 | |
| 112 | Primary vertical damper | QSJZ39-20-11-100-P1 | EA | 16 | |
| 113 | Rear light lampshade | 39501176 | EA | 2 | |
| 114 | Rectifier fan | 95003347 | EA | 8 | |
| 115 | Red marker light | 39500115 | EA | 8 | |



| | | | | | |
|---|---|---|---|---|---|
| 116 | Relay valve | 96000013 | EA | 2 | |
| 117 | Rubber stack | QSJZ12-301-000 | EA | 16 | |
| 118 | Safety valve of air compressor | 115991-1 | EA | 4 | |
| 119 | Sand box cover | 95001297 | EA | 16 | |
| 120 | Sand pipe | QSJZ35-90-04-000 | EA | 4 | |
| 121 | Sand pipe | QSJZ35-90-01-000 | EA | 4 | |
| 122 | Sand pipe | QSJZ35-90-03-000 | EA | 4 | |
| 123 | Sand pipe | QSJZ35-90-02-000 | EA | 4 | |
| 124 | Sander assembly | 95001156 | EA | 16 | |
| 125 | Sealing gasket | QSJ64-12-01-702 | EA | 2 | |
| 126 | Side stop assembly | QSJZ18-90-02-000 | EA | 8 | |
| 127 | Soft hose for bogie connection frame | 15407726 | EA | 8 | |
| 128 | Spacer bush | QSJ19-54-00-003 | EA | 16 | |
| 129 | Spacer bush | QSJ19-54-00-009 | EA | 8 | |
| 130 | Spherical | B1015900500000 | EA | 8 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KERALA RAILWAYS

| | | | | | |
|---|---|---|---|---|---|
| 131 | Spherical angle cock | 23804289 | EA | 4 | |
| 132 | Start contactor, contact and arc chute | 98001688 | EA | 2 | |
| 133 | Stone sweeper | QSJZ35-00-01-000 | EA | 8 | |
| 134 | Support | QSJ64-00-10-300 | EA | 4 | |
| 135 | Support seat | QSJ64-00-10-001 | EA | 8 | |
| 136 | Taper sleeve pipe | QSJ21-61-00-006 | EA | 4 | |
| 137 | Tapered sleeve | QSJ41A-61-00-001 | EA | 8 | |
| 138 | Traction bar assembly | QSJZ12-403-000 | EA | 4 | |
| 139 | Traction bar pin | QSJ19-54-00-008 | EA | 8 | |
| 140 | Traction pin | QSJ19-54-00-004 | EA | 8 | |
| 141 | Train pipe dust filter | 96000814 | EA | 16 | |
| 142 | Turbocharger exhaustion gasket | QSJ64-00-10-006 | EA | 2 | |
| 143 | Vane arm | QSJZ12-402-001 | EA | 4 | |
| 144 | Vane arm pin | QSJZ12-400-001 | EA | 8 | |
| 145 | Washer | B1002701305311 | EA | 16 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT

| | | | | | |
|---|---|---|---|---|---|
| 146 | Washer | B1002701605311 | EA | 32 | |
| 147 | Washer | B1003101103211 | EA | 24 | |
| 148 | Washer | B1002701205311 | EA | 24 | |
| 149 | Washer | B1003101303222 | EA | 24 | |
| 150 | Washer | B1002701605322 | EA | 24 | |
| 151 | Washer | B1002701205302 | EA | 40 | |
| 152 | Washer | B1003100203222 | EA | 16 | |
| 153 | Washer | QSJ11-54-00-001-P1 | EA | 8 | |
| 154 | Washer | B1002701505322 | EA | 32 | |
| 155 | Washer | QSJ19-54-00-006 | EA | 16 | |
| 156 | Wiper for driver's cab window | 85000117 | EA | 4 | |
| 157 | AC oil filter | 95000934W | EA | 384 | |
| 158 | AC oil fine separator | 95001248 | EA | 112 | |
| 159 | Action valve | 96000124 | EA | 2 | |
| 160 | Air dryer maintenance kit | 95003026 | EA | 8 | |
| 161 | Air inlet valve | QSQT56-00-00-000A-Z3 | EA | 2 | |
| 162 | Air outlet valve | QSQT56-00-00-000-Z1 | EA | 2 | |
| 163 | Alternator isolator | 99009611 | EA | 8 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | |
|---|---|---|---|---|---|
| 164 | Auxiliary lamp | 39500134 | EA | 40 | |
| 165 | Auxiliary valve spring | 98002106 | EA | 4 | |
| 166 | Averaging tube hose connector assembly | 15400088 | EA | 8 | |
| 167 | Balance valve assembly | 95001677 | EA | 4 | |
| 168 | Balance valve spring | 98002096 | EA | 4 | |
| 169 | Ball contactor DN10 | B5007700405500 | EA | 20 | |
| 170 | Battery switch | 98006241 | EA | 4 | |
| 171 | Block valve aligning spring | 98002093 | EA | 4 | |
| 172 | Block valve spring | 98002092 | EA | 4 | |
| 173 | Blower speed sensor | 40400104 | EA | 4 | |
| 174 | Brake cylinder hose assembly | 15300072 | EA | 64 | |
| 175 | Brake hose connector assembly 715 | B2001100300000 | EA | 8 | |
| 176 | Braking control maintenance kit SZ-1 | 95003412 | EA | 200 | |
| 177 | Braking changing valve | 85000221 | EA | 2 | |
| 178 | CB of air compressor motor | 37001034 | EA | 768 | |
| 179 | CB of DB Motor | 37001011 | EA | 256 | |
| 180 | CB of starter motor | 37001036 | EA | 320 | |
| 181 | CB of traction motor | 37001032 | EA | 3000 | |
| 182 | Check valve | 95002113 | EA | 4 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | |
|---|---|---|---|---|---|
| 183 | Check valve spring | 98002098 | EA | 8 | |
| 184 | Check valve spring | 98002103 | EA | 4 | |
| 185 | Clamps d130 | B5001601500000 | EA | 16 | |
| 186 | CLAMPS(D=86) | 95001522 | EA | 64 | |
| 187 | CLAMPS(D44) | B5001600800000 | EA | 380 | |
| 188 | COLD PRESSED END (1.5 SHEATH) | 39006310 | EA | 100 | |
| 189 | COLD PRESSED END (2.5 SHEATH) | 39006311 | EA | 100 | |
| 190 | COLD PRESSED TERMINAL | 39000396 | EA | 20 | |
| 191 | COPPER JOINTS 39000195 / | ETC. | EA | 10 | |
| 192 | COPPER JOINT | 39000049 | EA | 10 | |
| 193 | COPPER JOINT | 39000038 | EA | 10 | |
| 194 | COPPER JOINT | 39000062 | EA | 10 | |
| 195 | COPPER JOINT | 39000019 | EA | 60 | |
| 196 | COPPER JOINT | 39000165 | EA | 60 | |
| 197 | COTTER PIN 1.5*10 | VARIOUS | EA | 32 | |
| 198 | COTTER PIN 2*12 | B1002604804000 | EA | 32 | |
| 199 | COTTER PIN 2*20 | B1002600704000 | EA | 40 | |
| 200 | COVER OF NORMAL PRESSURE LIMIT VALVE | 90001010 | EA | 4 | |
| 201 | DISTRIBUTION VALVE | 96000148 | EA | 2 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | |
|---|---|---|---|---|---|
| 202 | DOOR LOCK COMPOSITION 90006911 / | 90006912 | EA | 12 | |
| 203 | DOOR LOCK COMPOSITION | 90006912 | EA | 12 | |
| 204 | DOOR WIPER BLADE | 90002459 | EA | 48 | |
| 205 | DOOR WIPER MOTOR | 90007245 | EA | 12 | |
| 206 | DRAINAGE VALVE | QSQT56-00-00-000-Z4 | EA | 2 | |
| 207 | DRY LUBRICATING ROD (20X40X150) | 95000679 | EA | 1280 | |
| 208 | DUST FILTER ASSEMBLY | 90000957 | EA | 2 | |
| 209 | EJECTOR ROD | 95002079 | EA | 4 | |
| 210 | ELASTIC RETAINING RING 40 | B1009000405302 | EA | 4 | |
| 211 | ELECTRONIC CONTROL VALVE | QSQT56-00-00-000A-Z2 | EA | 2 | |
| 212 | EXHAUST VALVE | 23802105 | EA | 64 | |
| 213 | EXHAUST VALVE RECOVER SPRING | 98002097 | EA | 4 | |
| 214 | EXHAUST VALVE RETAINING RING | 96000094 | EA | 4 | |
| 215 | EXHAUST VALVE SPRING 98002090 / | 98002100 | EA | 8 | |
| 216 | EXHAUST VALVE SPRING | 98002090 | EA | 4 | |
| 217 | EXHAUST VALVE SPRING | 98002100 | EA | 4 | |
| 218 | FEED VALVE COVER RETAINING RING | 96000095 | EA | 4 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | |
|---|---|---|---|---|---|
| 219 | FIXING SPRING | 95002086 | EA | 4 | |
| 220 | FRONT SPRING | 98002088 | EA | 8 | |
| 221 | GALVANIZED STEEL WIRE SZ-1.6 | 5202005 | EA | 20 | |
| 222 | GALVANIZED STEEL WIRE Φ2 | 5202006 | EA | 20 | |
| 223 | GEAR CASE OIL TOP UP ASSEMBLY | QSJZ8-50-02-400 | EA | 16 | |
| 224 | GP-9 SILICONE GREASE | 13103004 | EA | 8 | |
| 225 | HANDLE SPRING | 5203043 | EA | 8 | |
| 226 | HEADLAMP TUBE | 39501112 | EA | 24 | |
| 227 | HEMISPHERICAL ANGLE COCK | 23804289 | EA | 4 | |
| 228 | HEMISPHERICAL ANGLE COCK | 95000906 | EA | 4 | |
| 229 | HEMISPHERICAL ANGLE COCK (LEFT) | 85000092 | EA | 4 | |
| 230 | HANDLE SPRING | 98002086 | EA | 8 | |
| 231 | HOSE ASSEMBLY | 15309285 | EA | 32 | |
| 232 | HOSE CLAMP D50 | B5001600900000 | EA | 72 | |
| 233 | HOSE L=452 | 15407724 | EA | 2 | |
| 234 | HOSE PIPE (Φ115×5) | 15309255 | EA | 8 | |
| 235 | HOSE PIPE (Φ76×4.5) | 15309252 | EA | 16 | |
| 236 | INFLATION VALVE SPRING | 98002105 | EA | 4 | |
| 237 | I-SHAPED WASHER FOR BRAKE HOSE CONNECTOR ASSEMBLY | B2001300111300 | EA | 32 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | |
|---|---|---|---|---|---|
| 238 | I-SHAPED WASHER OF AVERAGE PIPE CONNECTOR ASSEMBLY | B2001300111300 | EA | 32 | |
| 239 | I-SHAPED WASHER OF MAIN AIR HOSE CONNECTOR ASSEMBLY | B2001300111300 | EA | 32 | |
| 240 | JZ-7GYV BRAKE VALVE | 23802070 | EA | 15 | |
| 241 | KEEPING VALVE SPRING | 98002099 | EA | 4 | |
| 242 | KEEPING VALVE ASSEMBLY | 96000099 | EA | 4 | |
| 243 | LATERAL DAMPER | QSJZ39-20-11-100-P2 | EA | 8 | |
| 244 | LOCOMOTIVE ANGLE COCK | 96000305 | EA | 4 | |
| 245 | MAGNETIC LIMIT SWITCH | 40402165 | EA | 2 | |
| 246 | MAIN AIR DUSTER | 96000813 | EA | 48 | |
| 247 | MAIN AIR HOSE CONNECTOR ASSEMBLY | 15300025 | EA | 8 | |
| 248 | MAIN CONTACT OF AIR COMPRESSOR CONTACTOR | 98001786 | EA | 32 | |
| 249 | MAIN CONTACT OF OIL PUMP AND GENERATOR EXCITATION CONTACTOR | 98007290 | EA | 64 | |
| 250 | MAIN CONTACT OF STARTING CONTACTOR | 98001786 | EA | 32 | |
| 251 | MAIN CONTACT OF TM CONTACTOR | 98006415 | EA | 84 | |
| 252 | MAIN FILTER OF AC | 95002775 | EA | 384 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT

| | | | | | |
|---|---|---|---|---|---|
| 253 | NORMAL PRESSURE LIMIT VALVE SPRING | 98002102 | EA | 4 | |
| 254 | NUT M27×2 | B5007800405500 | EA | 20 | |
| 255 | O-RING SEALING 16×2.4 | B5001300211100 | EA | 64 | |
| 256 | O-RING SEALING 22×2.4 | B5001300411100 | EA | 64 | |
| 257 | O-RING SEALING 307×5.3-G-N | B1011909618700 | EA | 40 | |
| 258 | O-RING SEALING 475×8.6 | QSJ7-13-10-003 | EA | 40 | |
| 259 | OIL CUP 45° M10×1 | B3000300100000 | EA | 120 | |
| 260 | OIL CUP M10×1 | B3000200200000 | EA | 120 | |
| 261 | OIL CUP M8×1 | B3000200300000 | EA | 120 | |
| 262 | PARTIAL REDUCING CHECK VALVE | 90001004 | EA | 4 | |
| 263 | PIN 4×10 | B1003802604902 | EA | 64 | |
| 264 | PIN 6×32 | B1003803905000 | EA | 64 | |
| 265 | PIN 8×30 | B1008601405302 | EA | 64 | |
| 266 | PIN M3×8 | B1003802204902 | EA | 8 | |
| 267 | PIN SHAFT A4×16 | B1008807204900 | EA | 16 | |
| 268 | PLUNGER OF NORMAL PRESSURE LIMIT VALVE | 90002978 | EA | 4 | |
| 269 | PLUNGER SPRING | 98002085 | EA | 8 | |
| 270 | PRESSURE DECREASING VALVE | 95000973 | EA | 2 | |
| 271 | PRESSURE SENSOR | 40400061 | EA | 12 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT

| | | | | | |
|---|---|---|---|---|---|
| 272 | PRIMARY VERTICAL SHOCK ABSORBER | QSJZ39-20-11-100-P1 | EA | 16 | |
| 273 | PTFE TAPE | 15606003 | EA | 8 | |
| 274 | RADIANT CROSS CAR LINE | 34302027 | EA | 2 | |
| 275 | RADIATION CROSSLINKING ULTRA-THIN RAILWAY LOCOMOTIVE LINE | 34203006 | EA | 2 | |
| 276 | READING LAMP | 39500136 | EA | 16 | |
| 277 | REAR SPRING | 98002087 | EA | 8 | |
| 278 | RECOVER SPRING | 98002104 | EA | 4 | |
| 279 | RECTANGLE WASHER | DLJ6-04-01-075A-Z2 | EA | 24 | |
| 280 | RED MARKER LAMP | 39500115 | EA | 16 | |
| 281 | RELAY VALVE | 96000013 | EA | 2 | |
| 282 | RELEASE PLUNGER VALVE | 95002096 | EA | 8 | |
| 283 | RELEASE VALVE SPRING | 98002089 | EA | 8 | |
| 284 | RELEASING SPRING | 98002095 | EA | 4 | |
| 285 | ROLLER | 95000278 | EA | 24 | |
| 286 | RUBBER RING | 23802106 | EA | 64 | |
| 287 | SAFETY FILTER OF AC | 95002776 | EA | 384 | |
| 288 | SAFETY VALVE | 95001120 | EA | 4 | |
| 289 | SANDING ASSEMBLY | 95001156 | EA | 8 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT

| | | | | | |
|---|---|---|---|---|---|
| 290 | SANDING BOX COVER ASSEMBLY | 95001297 | EA | 20 | |
| 291 | SANDING HOSE | 15407677 | EA | 72 | |
| 292 | SANDING HOSE (I) | 15407726 | EA | 48 | |
| 293 | SANDING NOZZLE | QSJZ19-90-00-002 | EA | 380 | |
| 294 | SANDING PIPE | QSJZ35-90-02-000 | EA | 4 | |
| 295 | SANDING PIPE | QSJZ35-90-03-000 | EA | 4 | |
| 296 | SEAL | 15404201 | EA | 64 | |
| 297 | SEALING RUBBER PAD | DLJ6-04-01-075A-Z5 | EA | 24 | |
| 298 | SELF VALVE ADJUSTING VALVE MOFLE ASSEMBLY | 90001661 | EA | 8 | |
| 299 | SELF VALVE ADJUSTING VALVE PLUNGER ASSEMBLY | 90001660 | EA | 8 | |
| 300 | SENSOR OF LIMIT SWITCH | 40402164 | EA | 2 | |
| 301 | SIDE STOPPER | QSJZ18-90-02-000 | EA | 16 | |
| 302 | SINGLE RELEASE VALVE | 95001655 | EA | 8 | |
| 303 | SINGLE VALVE ADJUSTING VALVE MOFLE ASSEMBLY | 90001659 | EA | 8 | |
| 304 | SINGLE VALVE ADJUSTING VALVE | 90001658 | EA | 8 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT

| | PLUNGER ASSEMBLY | | | | |
|---|---|---|---|---|---|
| 305 | SINGLE VALVE ADJUSTING VALVE SPRING | 5203038 | EA | 8 | |
| 306 | SOLENOID VALVE 1 | 23802172 | EA | 4 | |
| 307 | SOLENOID VALVE 2 | 23802033 | EA | 4 | |
| 308 | SPACER BLOCK | 19008210 | EA | 200 | |
| 309 | SPRING | 96000343 | EA | 64 | |
| 310 | SPRING RETAINING RING | 96000153 | EA | 4 | |
| 311 | TANDEM PLUNGER VALVE | 95002095 | EA | 8 | |
| 312 | TANDEM WORKING VALVE | 96000160 | EA | 2 | |
| 313 | TEMP SENSOR | 40400064 | EA | 10 | |
| 314 | TERMINAL BLOCK WITH INSULATING SLEEVE | 39000061 | EA | 120 | |
| 315 | TERMINAL BLOCK WITH INSULATING SLEEVE | 39000063 | EA | 120 | |
| 316 | TERMINAL BLOCK WITH INSULATING SLEEVE | 39000066 | EA | 120 | |
| 317 | TERMINAL BLOCK WITH INSULATING SLEEVE | 39000057 | EA | 120 | |
| 318 | TERMINAL BLOCK WITH INSULATING SLEEVE | 39000164 | EA | 50 | |
| 319 | TERMINAL BLOCK WITH INSULATING SLEEVE | 39000017 | EA | 20 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | |
|---|---|---|---|---|---|
| 320 | TERMINAL BLOCKS | 33109185 | EA | 20 | |
| 321 | TOP LIGHT | 39500135 | EA | 16 | |
| 322 | TRAIN PIPE DUSTER | 96000814 | EA | 64 | |
| 323 | TRANSIT CONTACTOR | QSJ39-62-07-004 | EA | 10 | |
| 324 | UNDERBODY LAMP | 39500116 | EA | 22 | |
| 325 | UNIT BRAKE 1 | QSJZ35-60-02-000 | EA | 2 | |
| 326 | UNIT BRAKE 2 | QSJZ35-60-03-000 | EA | 2 | |
| 327 | UNIT BRAKE 3 | QSJZ35-60-04-000 | EA | 2 | |
| 328 | UNIT BRAKE 4 | QSJZ35-60-05-000 | EA | 2 | |
| 329 | UNIT BRAKE 5 | QSJZ35-60-06-000 | EA | 2 | |
| 330 | URGENTLY PRESSURE LIMIT SPRING | 98002101 | EA | 4 | |
| 331 | VALVE SPRING | 98002084 | EA | 32 | |
| 332 | VOLTAGE SENSOR | 40402231 | EA | 50 | |
| 333 | WINDOW WIPER BLADE | 90002459 | EA | 24 | |
| 334 | WINDOW WIPER MOTOR | 90007245 | EA | 12 | |
| 335 | ZOOM IN ON THE TOP BAR | 95000277 | EA | 16 | |
| 336 | 97XX LOCO TRACTION MOTORS | ZQDR310G | EA | 12 | |
| 337 | BRAKE SWITCHING VALVE SEALS(KIT) | 95003430 | EA | 100 | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| REVISED PRICE SCHEDULE | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Schedule 1: Spare Parts for 93XX and 94XX Locomotives** | | | | | | | |
| **Line Item No** | **Description of Goods** | Country of Origin | Delivery Date as defined by Incoterms | Quantity and physical unit. | Unit price (DPP) | Price per line item for inland transportation and other services required in Kenya to convey the Goods to their final destination specified in TDS. | Total Price per Line item |
| 1 | TRACTION MOTORS(COMPLETE) 5GE761A23 | ANY | | 36 EA | | | |
| 2 | BATTERY NIFE 18-6, 8 MONOBLOCKS TOTAL 64V DC PER LOCO ( EQUIVALENT SAFT 50SRX1700P) 41A242441P2 | ANY | | 4 EA | | | |
| 3 | VOLTAGE REGULATOR 72V DC 17FH23D3 | ANY | | 12 EA | | | |
| 4 | WELDED CYLINDER LINERS 121X1260-2 | ANY | | 24 EA | | | |
| 5 | SAFETY VALVE (65PSI) 3X2304 | ANY | | 24 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 6 | COMPRESSOR DRIVE SHAFT 41B515714G4 | ANY | | 4 EA | | | |
| 7 | TURBO CHARGER 126X1640 | ANY | | 4 EA | | | |
| 8 | SAFETY VALVE (125PSI) 499A924CCP7 | ANY | | 12 EA | | | |
| 9 | RADIATOR 41D704572P1 | ANY | | 4 EA | | | |
| 10 | ANALOGUE CARDS 1164355 | ANY | | 24 EA | | | |
| 11 | COMPRESSOR COMPLETE (GADDNER-DENVER CO.) 41A206171P2 | ANY | | 4 EA | | | |
| 12 | DIGITAL CARDS 1126090 | ANY | | 16 EA | | | |
| 13 | WHEEL CENTRE 41A241544VAP1 | ANY | | 24 EA | | | |
| 14 | MASTER CONROD 117X1060 | ANY | | 12 EA | | | |
| 15 | ART ROD 117X1012-7 | ANY | | 12 EA | | | |
| 16 | POWER AUTOMATION CARD XOOE50210197 | ANY | | 2 EA | | | |
| 17 | DIGITAL CARD DL020 | ANY | | 2 EA | | | |
| 18 | RADIATOR RIGHT SIDE 9670055 | ANY | | 2 EA | | | |
| 19 | RADIATOR LEFT SIDE | ANY | | 2 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | 9670056 | | | | | | |
| 20 | SUSPENSION BEARRINGS 41C633819G1 | ANY | | 144 EA | | | |
| **Schedule 2: Filters for 93XX and 94XX Locomotives** | | | | | | | |
| 1 | COMPRESSOR AIR FILTER 84A207699P2 | ANY | | 184 EA | | | |
| 2 | ENGINE AIR FILTERS 41A216508P4 | ANY | | 2,024 EA | | | |
| 3 | LUBE OIL FILTERS 2X4223-E | ANY | | 736 EA | | | |
| 4 | FUEL FILTERS 132X1250-1 | ANY | | 92 EA | | | |
| **Schedule 3: Composite Brake Blocks for Locomotives and Wagons** | | | | | | | |
| 1 | COMPOSITE BRAKE BLOCKS | ANY | | 56,736 EA | | | |
| **Schedule 4: Traction Motor Spare Parts for 92XX, 93XX and 94XX Locomotives** | | | | | | | |
| 1 | SPRING BRUSH BOX 41A238759P1 | ANY | | 800 EA | | | |
| 2 | TEFLON 41B537080P2 | ANY | | 180 EA | | | |
| 3 | BELLOW(TM DUCT) CENTRE 8836855P1 | ANY | | 180 EA | | | |
| 4 | BELLOW(1,3,4,6) 41B500680P1 | ANY | | 180 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 5 | TM'S MAIN POLES OPEN 8855153G12 | ANY | | 40 EA | | | |
| 6 | TM'S MAIN POLES CLOSED 8855153G14 | ANY | | 40 EA | | | |
| 7 | BOLT WITH WASHERS BRUSH PIG TAIL MOUNTING 41A231439P2 | ANY | | 800 EA | | | |
| 8 | TM CONNECTING STRAPS FLEXIBLE 41A235688G1 | ANY | | 400 EA | | | |
| 9 | BOLT FOR MOUNTING TM MAIN POLE 41B537660P19 | ANY | | 320 EA | | | |
| 10 | PINION APPLICANT 84A204125G1 | ANY | | 10 EA | | | |
| 11 | CABLE CLAMP 41C614789P6 | ANY | | 80 EA | | | |
| 12 | SHAFT 8843544G1 | ANY | | 40 EA | | | |
| 13 | TM CABLE TERMINALS 8868241AAP16 | ANY | | 800 EA | | | |
| 14 | TM INTERPOLE FIELD COIL 8843549G4 | ANY | | 80 EA | | | |
| 15 | TM BRUSH HOLDER 41C637788G1 | ANY | | 360 EA | | | |
| 16 | RETAINING PLATE 8819127P1 | ANY | | 60 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 17 | RETAINING CAP 41B530705P1 | ANY | | 60 EA | | | |
| 18 | RETAINING COLLAR 41A231426P1 | ANY | | 60 EA | | | |
| 19 | GASKET 8819142P1 | ANY | | 200 EA | | | |
| 20 | FRAME HEAD 41C630228P2 | ANY | | 60 EA | | | |
| 21 | COLLAR 41A231419P1 | ANY | | 60 EA | | | |
| 22 | GASKET 8819143P1 | ANY | | 200 EA | | | |
| 23 | BOLT(HEX HEAD) N22P33024 | ANY | | 400 EA | | | |
| 24 | PINION 41C635677P2 | ANY | | 200 EA | | | |
| 25 | ROLLER BEARING, PINION END 8864951P148 | ANY | | 200 EA | | | |
| 26 | BALL BEARING, COMMUTATOR END 8864950P169 | ANY | | 200 EA | | | |
| 27 | AMARTURE,COMMUTATOR & SHAFT WITH PLUG 8843544G1 | ANY | | 48 EA | | | |
| 28 | SPRING SEAT (LOWER) 41A233867G5 | ANY | | 1,600 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 29 | SPRING SEAT (UPPER) 41A330248P1 | ANY | | 1,600 EA | | | |
| 30 | CARBON BRUSH 41A235897P4 | ANY | | 6,000 EA | | | |
| 31 | CABLE WITH SWAGED TERMINALS, GROUNDING 41B531227G7 | ANY | | 100 EA | | | |
| 32 | CABLE ASSEMBLY 41B537417G2 | ANY | | 100 EA | | | |
| 33 | BOLT 7/8 INCH -9, 3 INCH LONG N170P35052 | ANY | | 1,600 EA | | | |
| 34 | WASHER 4B537660P16 | ANY | | 1,600 EA | | | |
| 35 | WICK, AXLE CAP LUBRICANT 494A549P1 | ANY | | 800 EA | | | |
| 36 | BOLT WITH WASHERS BRUSH PIG TAIL MOUNTING 41A231439P15 | ANY | | 1,600 EA | | | |
| **Schedule 5: Spare Parts for CDD5F (97XX, 86XX and 75XX) Locomotives** | | | | | | | |
| 1 | SIDE LADDER QSJ64-72-05-100 | ANY | | 8 EA | | | |
| 2 | TRACK-CLEANER QSJ64-70-01-000 | ANY | | 2 EA | | | |
| 3 | 24V DC POWER SUPPLY 98006331 | ANY | | 2 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 4 | AC POWER SUPPLY KLW70A-NBQ | ANY | | 2 EA | | | |
| 5 | ACTION VALVE 96000124 | ANY | | 2 EA | | | |
| 6 | ADJUSTING PAD QSJZ18-90-00-003-P1 | ANY | | 32 EA | | | |
| 7 | ADJUSTING PAD QSJ64-12-01-704 | ANY | | 2 EA | | | |
| 8 | AIR CHANNEL QSJZ40-50-02-100 | ANY | | 16 EA | | | |
| 9 | AIR CONDITIONER 90006893 | ANY | | 2 EA | | | |
| 10 | AIR CONDITIONER COMPRESSOR SHV130FFDC | ANY | | 2 EA | | | |
| 11 | AIR DUCT QSJZ15-403-100 | ANY | | 8 EA | | | |
| 12 | AIR FILTER CURING INDICATOR OF AIR COMPRESSOR 90006907 | ANY | | 4 EA | | | |
| 13 | ANGLE COCK 85000092 | ANY | | 4 EA | | | |
| 14 | ANGLE COCK 95000906 | ANY | | 4 EA | | | |
| 15 | ANGLE COCK 96000305 | ANY | | 4 EA | | | |
| 16 | AVERAGE HOSE CONNECTOR ASSEMBLY 15400088 | ANY | | 8 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 17 | AVERAGE HOSE ELBOW 44251E | ANY | | 8 EA | | | |
| 18 | BALL VALVE ADG32 23802018 | ANY | | 16 EA | | | |
| 19 | BATTERY GATE KNIFE 98006241 | ANY | | 2 EA | | | |
| 20 | BLOCK RING B1009001605302 | ANY | | 16 EA | | | |
| 21 | BOLT B1026702400611 | ANY | | 16 EA | | | |
| 22 | BOLT B1026705800611 | ANY | | 32 EA | | | |
| 23 | BOLT B1026700600611 | ANY | | 8 EA | | | |
| 24 | BOLT SFJT74-04-003 | ANY | | 20 EA | | | |
| 25 | BOLT B1026705900602 | ANY | | 32 EA | | | |
| 26 | BOLT B1026602800622 | ANY | | 40 EA | | | |
| 27 | BOLT B1013104000622 | ANY | | 40 EA | | | |
| 28 | BOLT QSJ43-00-10-001 | ANY | | 16 EA | | | |
| 29 | BOLT B1026703700611 | ANY | | 16 EA | | | |
| 30 | BOLT B1001601700200 | ANY | | 40 EA | | | |
| 31 | BOLT B1026703800622 | ANY | | 32 EA | | | |
| 32 | BOLT B1000622100622 | ANY | | 32 EA | | | |
| 33 | BOLT B1026707000622 | ANY | | 32 EA | | | |
| 34 | BOOST MODULE 98000011 | ANY | | 20 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 35 | BRAKE CYLINDER HOSE ASSEMBLY 15300072 | ANY | | 4 EA | | | |
| 36 | BRAKE HOSE ASSEMBLY B2001100300000 | ANY | | 4 EA | | | |
| 37 | BRAKE SWITCHING VALVE 85000221 | ANY | | 2 EA | | | |
| 38 | BRAKE SWITCHING VALVE SEALS (KIT) 95003430 | ANY | | 2 EA | | | |
| 39 | BRAKE VALVE MAINTENANCE KIT — | ANY | | 8 EA | | | |
| 40 | BUSHING QSJZ12-402-002 | ANY | | 8 EA | | | |
| 41 | BUSHING QSJZ12-402-003 | ANY | | 8 EA | | | |
| 42 | CARRIER QSJ19-54-00-005 | ANY | | 16 EA | | | |
| 43 | CB STARTER MOTOR CARBON BRUSH 37001036 | ANY | | 180 EA | | | |
| 44 | COMPRESSOR MICRO SWITCH 98018530 | ANY | | 4 EA | | | |
| 45 | CONNECTING LINK PIN QSJZ12-400-003 | ANY | | 8 EA | | | |
| 46 | CONNECTING ROD QSJZ12-401-000 | ANY | | 4 EA | | | |
| 47 | CONTACTOR 98003025 | ANY | | 12 EA | | | |
| 48 | COOLING FAN CIRCUIT BREAKER — | ANY | | 4 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 49 | COUPLER & DRAFT GEARS 85000768 | ANY | | 4 EA | | | |
| 50 | COUPLER HOOK 85000767 | ANY | | 40 EA | | | |
| 51 | COUPLING COCK 95002188 | ANY | | 4 EA | | | |
| 52 | COUPLING COCK 95002189 | ANY | | 4 EA | | | |
| 53 | CURRENT SENSOR FOR TRACTION MOTOR 40402230 | ANY | | 2 EA | | | |
| 54 | DC AUXILIARY GENERATOR EXCITATION SENSOR 98002877 | ANY | | 2 EA | | | |
| 55 | DIODE ASSEMBLY 39000541 | ANY | | 10 EA | | | |
| 56 | DISTRIBUTION VALVE 96000148 | ANY | | 2 EA | | | |
| 57 | DOOR LOCK 90009340 | ANY | | 4 EA | | | |
| 58 | DOOR LOCK 90006913 | ANY | | 12 EA | | | |
| 59 | DRIVER DOOR WINDOW 85000357 | ANY | | 4 EA | | | |
| 60 | DUST CONTROL DAMPER QSJ19-54-00-001 | ANY | | 16 EA | | | |
| 61 | DUST PROOF RING QSJ19-54-00-002 | ANY | | 16 EA | | | |
| 62 | EARTH RELAY 85000252 | ANY | | 2 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 63 | EXHAUST HOSE BD5908 | ANY | | 8 EA | | | |
| 64 | FAN COOLER 98018486 | ANY | | 2 EA | | | |
| 65 | FAN COOLER MOTOR 98018442 | ANY | | 2 EA | | | |
| 66 | FILTER ELEMENT 95002775 | ANY | | 4 EA | | | |
| 67 | FILTER ELEMENT 95002776 | ANY | | 4 EA | | | |
| 68 | FIXING COVER QSJ10-52-10-006 | ANY | | 20 EA | | | |
| 69 | FLANGE D40 QSJ49-61-00-011 | ANY | | 8 EA | | | |
| 70 | FUEL FILTER CAP QSJZ8-50-02-400 | ANY | | 8 EA | | | |
| 71 | GASKET QSJZ15-403-001 | ANY | | 40 EA | | | |
| 72 | GASKET QSJ64-00-10-002-P1 | ANY | | 8 EA | | | |
| 73 | GASKET QSJ64-00-10-003-P1 | ANY | | 8 EA | | | |
| 74 | GASKET QSJ64-00-10-004-P1 | ANY | | 8 EA | | | |
| 75 | GASKET QSJ64-00-10-005-P1 | ANY | | 8 EA | | | |
| 76 | GLAND QSJ19-54-00-007 | ANY | | 8 EA | | | |
| 77 | GLASS QSJ64-12-01-703 | ANY | | 2 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 78 | GLASS FOR DRIVER'S CAB ELECTRICAL ROOM DOOR 85000356 | ANY | | 2 EA | | | |
| 79 | GLASS FOR DRIVER'S CAB SIDE WINDOW 90006915 | ANY | | 2 EA | | | |
| 80 | GLASS FOR DRIVER'S CAB SIDE WINDOW 90006916 | ANY | | 2 EA | | | |
| 81 | GROUND WIRE 95001230 | ANY | | 4 EA | | | |
| 82 | HALF-ROUND PIN 10×25×20 B2000903505000 | ANY | | 24 EA | | | |
| 83 | HANDRAIL SET QSJ64-70-02-000 | ANY | | 6 EA | | | |
| 84 | HEADLAMP TUBE 39501112 | ANY | | 8 EA | | | |
| 85 | HEADLIGHT COVER QSJ93-90-01-001 | ANY | | 4 EA | | | |
| 86 | HIGH VOLTAGE COLLECTING EXCITATION BOARD — | ANY | | 4 EA | | | |
| 87 | HOSE 15407677 | ANY | | 16 EA | | | |
| 88 | HOSE CLAMP B5001600900000 | ANY | | 32 EA | | | |
| 89 | INSTALLATION FLANGE QSJ30-61-00-014 | ANY | | 16 EA | | | |
| 90 | JOINT BODY FOR ELECTRO-PNEUMATIC | ANY | | 4 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | VALVE B5007500205500 | | | | | | |
| 91 | JZ-7GYV TYPE BRAKE VALVE 23802070 | ANY | | 4 EA | | | |
| 92 | LATERAL DAMPER QSJZ39-20-11-100-P2 | ANY | | 8 EA | | | |
| 93 | LIGHT 39500134 | ANY | | 8 EA | | | |
| 94 | LOCOMOTIVE HEADLAMP BALLAST 39501113 | ANY | | 4 EA | | | |
| 95 | MAIN AIR DUST FILTER 96000813 | ANY | | 8 EA | | | |
| 96 | MAIN AIR HOSE CONNECTOR 15300025 | ANY | | 8 EA | | | |
| 97 | MAIN AIR TAPERED SLEEVE QSJ22-61-00-009 | ANY | | 8 EA | | | |
| 98 | MAIN RESERVOIR HOSE ASSEMBLY B2008700100000 | ANY | | 8 EA | | | |
| 99 | MINIMUM PRESSURE VALVE 95001740 | ANY | | 50 EA | | | |
| 100 | MULTIPLE UNIT VALVE 96000160 | ANY | | 2 EA | | | |
| 101 | Nut B1027000201211 | ANY | | 16 EA | | | |
| 102 | Nut B1027000601211 | ANY | | 8 EA | | | |
| 103 | Nut B1015000301211 | ANY | | 32 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 104 | Nut B1027000601222 | ANY | | 24 EA | | | |
| 105 | Nut B5003200201622 | ANY | | 16 EA | | | |
| 106 | Observation window assembly 97001198 | ANY | | 2 EA | | | |
| 107 | Oil cup B3000200200000 | ANY | | 16 EA | | | |
| 108 | Oil cup B3000300100000 | ANY | | 16 EA | | | |
| 109 | Permanent magnet brushless DC motor BLDD110/12A02 | ANY | | 4 EA | | | |
| 110 | Pin B1003900103822 | ANY | | 8 EA | | | |
| 111 | Pin 3.2×20 B1002602204100 | ANY | | 24 EA | | | |
| 112 | Primary vertical damper QSJZ39-20-11-100-P1 | ANY | | 16 EA | | | |
| 113 | Rear light lampshade 39501176 | ANY | | 2 EA | | | |
| 114 | Rectifier fan 95003347 | ANY | | 8 EA | | | |
| 115 | Red marker light 39500115 | ANY | | 8 EA | | | |
| 116 | Relay valve 96000013 | ANY | | 2 EA | | | |
| 117 | Rubber stack QSJZ12-301-000 | ANY | | 16 EA | | | |
| 118 | Safety valve of air | ANY | | 4 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | compressor 115991-1 | | | | | | |
| 119 | Sand box cover 95001297 | ANY | | 16 EA | | | |
| 120 | Sand pipe QSJZ35-90-04-000 | ANY | | 4 EA | | | |
| 121 | Sand pipe QSJZ35-90-01-000 | ANY | | 4 EA | | | |
| 122 | Sand pipe QSJZ35-90-03-000 | ANY | | 4 EA | | | |
| 123 | Sand pipe QSJZ35-90-02-000 | ANY | | 4 EA | | | |
| 124 | Sander assembly 95001156 | ANY | | 16 EA | | | |
| 125 | Sealing gasket QSJ64-12-01-702 | ANY | | 2 EA | | | |
| 126 | Side stop assembly QSJZ18-90-02-000 | ANY | | 8 EA | | | |
| 127 | Soft hose for bogie connection frame 15407726 | ANY | | 8 EA | | | |
| 128 | Spacer bush QSJ19-54-00-003 | ANY | | 16 EA | | | |
| 129 | Spacer bush QSJ19-54-00-009 | ANY | | 8 EA | | | |
| 130 | Spherical B1015900500000 | ANY | | 8 EA | | | |
| 131 | Spherical angle cock | ANY | | 4 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
INDIAN RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | 23804289 | | | | | | |
| 132 | Start contactor, contact and arc chute 98001688 | ANY | | 2 EA | | | |
| 133 | Stone sweeper QSJZ35-00-01-000 | ANY | | 8 EA | | | |
| 134 | Support QSJ64-00-10-300 | ANY | | 4 EA | | | |
| 135 | Support seat QSJ64-00-10-001 | ANY | | 8 EA | | | |
| 136 | Taper sleeve pipe QSJ21-61-00-006 | ANY | | 4 EA | | | |
| 137 | Tapered sleeve QSJ41A-61-00-001 | ANY | | 8 EA | | | |
| 138 | Traction bar assembly QSJZ12-403-000 | ANY | | 4 EA | | | |
| 139 | Traction bar pin QSJ19-54-00-008 | ANY | | 8 EA | | | |
| 140 | Traction pin QSJ19-54-00-004 | ANY | | 8 EA | | | |
| 141 | Train pipe dust filter 96000814 | ANY | | 16 EA | | | |
| 142 | Turbocharger exhaustion gasket QSJ64-00-10-006 | ANY | | 2 EA | | | |
| 143 | Vane arm QSJZ12-402-001 | ANY | | 4 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 144 | Vane arm pin QSJZ12-400-001 | ANY | | 8 EA | | | |
| 145 | Washer B1002701305311 | ANY | | 16 EA | | | |
| 146 | Washer B1002701605311 | ANY | | 32 EA | | | |
| 147 | Washer B1003101103211 | ANY | | 24 EA | | | |
| 148 | Washer B1002701205311 | ANY | | 24 EA | | | |
| 149 | Washer B1003101303222 | ANY | | 24 EA | | | |
| 150 | Washer B1002701605322 | ANY | | 24 EA | | | |
| 151 | Washer B1002701205302 | ANY | | 40 EA | | | |
| 152 | Washer B1003100203222 | ANY | | 16 EA | | | |
| 153 | Washer QSJ11-54-00-001-P1 | ANY | | 8 EA | | | |
| 154 | Washer B1002701505322 | ANY | | 32 EA | | | |
| 155 | Washer QSJ19-54-00-006 | ANY | | 16 EA | | | |
| 156 | Wiper for driver's cab window 85000117 | ANY | | 4 EA | | | |
| 157 | AC oil filter 95000934W | ANY | | 384 EA | | | |
| 158 | AC oil fine separator 95001248 | ANY | | 112 EA | | | |
| 159 | Action valve 96000124 | ANY | | 2 EA | | | |
| 160 | Air dryer maintenance kit | ANY | | 8 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | 95003026 | | | | | | |
| 161 | Air inlet valve QSQT56-00-00-000A-Z3 | ANY | | 2 EA | | | |
| 162 | Air outlet valve QSQT56-00-00-000-Z1 | ANY | | 2 EA | | | |
| 163 | Alternator isolator 99009611 | ANY | | 8 EA | | | |
| 164 | Auxiliary lamp 39500134 | ANY | | 40 EA | | | |
| 165 | Auxiliary valve spring 98002106 | ANY | | 4 EA | | | |
| 166 | Averaging tube hose connector assembly 15400088 | ANY | | 8 EA | | | |
| 167 | Balance valve assembly 95001677 | ANY | | 4 EA | | | |
| 168 | Balance valve spring 98002096 | ANY | | 4 EA | | | |
| 169 | Ball contactor DN10 B5007700405500 | ANY | | 20 EA | | | |
| 170 | Battery switch 98006241 | ANY | | 4 EA | | | |
| 171 | Block valve aligning spring 98002093 | ANY | | 4 EA | | | |
| 172 | Block valve spring 98002092 | ANY | | 4 EA | | | |
| 173 | Blower speed sensor | ANY | | 4 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | 40400104 | | | | | | |
| 174 | Brake cylinder hose assembly 15300072 | ANY | | 64 EA | | | |
| 175 | Brake hose connector assembly 715 B2001100300000 | ANY | | 8 EA | | | |
| 176 | Braking control maintenance kit SZ-1 95003412 | ANY | | 200 EA | | | |
| 177 | Braking changing valve 85000221 | ANY | | 2 EA | | | |
| 178 | CB of air compressor motor 37001034 | ANY | | 768 EA | | | |
| 179 | CB of DB Motor 37001011 | ANY | | 256 EA | | | |
| 180 | CB of starter motor 37001036 | ANY | | 320 EA | | | |
| 181 | CB of traction motor 37001032 | ANY | | 3000 EA | | | |
| 182 | Check valve 95002113 | ANY | | 4 EA | | | |
| 183 | Check valve spring 98002098 | ANY | | 8 EA | | | |
| 184 | Check valve spring 98002103 | ANY | | 4 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 185 | Clamps d130 B5001601500000 | ANY | | 16 EA | | | |
| 186 | CLAMPS(D=86) 95001522 | ANY | | 64 EA | | | |
| 187 | CLAMPS(D44) B5001600800000 | ANY | | 380 EA | | | |
| 188 | COLD PRESSED END (1.5 SHEATH) 39006310 | ANY | | 100 EA | | | |
| 189 | COLD PRESSED END (2.5 SHEATH) 39006311 | ANY | | 100 EA | | | |
| 190 | COLD PRESSED TERMINAL 39000396 | ANY | | 20 EA | | | |
| 191 | COPPER JOINTS 39000195 / ETC. | ANY | | 10 EA | | | |
| 192 | COPPER JOINT 39000049 | ANY | | 10 EA | | | |
| 193 | COPPER JOINT 39000038 | ANY | | 10 EA | | | |
| 194 | COPPER JOINT 39000062 | ANY | | 10 EA | | | |
| 195 | COPPER JOINT 39000019 | ANY | | 60 EA | | | |
| 196 | COPPER JOINT 39000165 | ANY | | 60 EA | | | |
| 197 | COTTER PIN 1.5*10 VARIOUS | ANY | | 32 EA | | | |
| 198 | COTTER PIN 2*12 B1002604804000 | ANY | | 32 EA | | | |
| 199 | COTTER PIN 2*20 | ANY | | 40 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | B1002600704000 | | | | | | |
| 200 | COVER OF NORMAL PRESSURE LIMIT VALVE 90001010 | ANY | | 4 EA | | | |
| 201 | DISTRIBUTION VALVE 96000148 | ANY | | 2 EA | | | |
| 202 | DOOR LOCK COMPOSITION 90006911 / 90006912 | ANY | | 12 EA | | | |
| 203 | DOOR LOCK COMPOSITION 90006912 | ANY | | 12 EA | | | |
| 204 | DOOR WIPER BLADE 90002459 | ANY | | 48 EA | | | |
| 205 | DOOR WIPER MOTOR 90007245 | ANY | | 12 EA | | | |
| 206 | DRAINAGE VALVE QSQT56-00-00-000-Z4 | ANY | | 2 EA | | | |
| 207 | DRY LUBRICATING ROD (20X40X150) 95000679 | ANY | | 1280 EA | | | |
| 208 | DUST FILTER ASSEMBLY 90000957 | ANY | | 2 EA | | | |
| 209 | EJECTOR ROD 95002079 | ANY | | 4 EA | | | |
| 210 | ELASTIC RETAINING RING 40 B1009000405302 | ANY | | 4 EA | | | |

NERAL MANAGER
PLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 211 | ELECTRONIC CONTROL VALVE QSQT56-00-00-000A-Z2 | ANY | | 2 EA | | | |
| 212 | EXHAUST VALVE 23802105 | ANY | | 64 EA | | | |
| 213 | EXHAUST VALVE RECOVER SPRING 98002097 | ANY | | 4 EA | | | |
| 214 | EXHAUST VALVE RETAINING RING 96000094 | ANY | | 4 EA | | | |
| 215 | EXHAUST VALVE SPRING 98002090 / 98002100 | ANY | | 8 EA | | | |
| 216 | EXHAUST VALVE SPRING 98002090 | ANY | | 4 EA | | | |
| 217 | EXHAUST VALVE SPRING 98002100 | ANY | | 4 EA | | | |
| 218 | FEED VALVE COVER RETAINING RING 96000095 | ANY | | 4 EA | | | |
| 219 | FIXING SPRING 95002086 | ANY | | 4 EA | | | |
| 220 | FRONT SPRING 98002088 | ANY | | 8 EA | | | |
| 221 | GALVANIZED STEEL WIRE SZ-1.6 5202005 | ANY | | 20 EA | | | |
| 222 | GALVANIZED STEEL WIRE Φ2 5202006 | ANY | | 20 EA | | | |
| 223 | GEAR CASE OIL TOP UP ASSEMBLY QSJZ8-50-02- | ANY | | 16 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | 400 | | | | | | |
| 224 | GP-9 SILICONE GREASE 13103004 | ANY | | 8 EA | | | |
| 225 | HANDLE SPRING 5203043 | ANY | | 8 EA | | | |
| 226 | HEADLAMP TUBE 39501112 | ANY | | 24 EA | | | |
| 227 | HEMISPHERICAL ANGLE COCK 23804289 | ANY | | 4 EA | | | |
| 228 | HEMISPHERICAL ANGLE COCK 95000906 | ANY | | 4 EA | | | |
| 229 | HEMISPHERICAL ANGLE COCK (LEFT) 85000092 | ANY | | 4 EA | | | |
| 230 | HANDLE SPRING 98002086 | ANY | | 8 EA | | | |
| 231 | HOSE ASSEMBLY 15309285 | ANY | | 32 EA | | | |
| 232 | HOSE CLAMP D50 B5001600900000 | ANY | | 72 EA | | | |
| 233 | HOSE L=452 15407724 | ANY | | 2 EA | | | |
| 234 | HOSE PIPE (Φ115×5) 15309255 | ANY | | 8 EA | | | |
| 235 | HOSE PIPE (Φ76×4.5) 15309252 | ANY | | 16 EA | | | |
| 236 | INFLATION VALVE SPRING 98002105 | ANY | | 4 EA | | | |
| 237 | I-SHAPED WASHER FOR BRAKE HOSE CONNECTOR | ANY | | 32 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | ASSEMBLY B2001300111300 | | | | | | |
| 238 | I-SHAPED WASHER OF AVERAGE PIPE CONNECTOR ASSEMBLY B2001300111300 | ANY | | 32 EA | | | |
| 239 | I-SHAPED WASHER OF MAIN AIR HOSE CONNECTOR ASSEMBLY B2001300111300 | ANY | | 32 EA | | | |
| 240 | JZ-7GYV BRAKE VALVE 23802070 | ANY | | 15 EA | | | |
| 241 | KEEPING VALVE SPRING 98002099 | ANY | | 4 EA | | | |
| 242 | KEEPING VALVE ASSEMBLY 96000099 | ANY | | 4 EA | | | |
| 243 | LATERAL DAMPER QSJZ39-20-11-100-P2 | ANY | | 8 EA | | | |
| 244 | LOCOMOTIVE ANGLE COCK 96000305 | ANY | | 4 EA | | | |
| 245 | MAGNETIC LIMIT SWITCH 40402165 | ANY | | 2 EA | | | |
| 246 | MAIN AIR DUSTER 96000813 | ANY | | 48 EA | | | |
| 247 | MAIN AIR HOSE | ANY | | 8 EA | | | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | CONNECTOR ASSEMBLY 15300025 | | | | | | |
| 248 | MAIN CONTACT OF AIR COMPRESSOR CONTACTOR 98001786 | ANY | | 32 EA | | | |
| 249 | MAIN CONTACT OF OIL PUMP AND GENERATOR EXCITATION CONTACTOR 98007290 | ANY | | 64 EA | | | |
| 250 | MAIN CONTACT OF STARTING CONTACTOR 98001786 | ANY | | 32 EA | | | |
| 251 | MAIN CONTACT OF TM CONTACTOR 98006415 | ANY | | 84 EA | | | |
| 252 | MAIN FILTER OF AC 95002775 | ANY | | 384 EA | | | |
| 253 | NORMAL PRESSURE LIMIT VALVE SPRING 98002102 | ANY | | 4 EA | | | |
| 254 | NUT M27×2 B5007800405500 | ANY | | 20 EA | | | |
| 255 | O-RING SEALING 16×2.4 B5001300211100 | ANY | | 64 EA | | | |
| 256 | O-RING SEALING 22×2.4 B5001300411100 | ANY | | 64 EA | | | |
| 257 | O-RING SEALING 307×5.3- | ANY | | 40 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | G-N B1011909618700 | | | | | | |
| 258 | O-RING SEALING 475×8.6 QSJ7-13-10-003 | ANY | | 40 EA | | | |
| 259 | OIL CUP 45° M10×1 B3000300100000 | ANY | | 120 EA | | | |
| 260 | OIL CUP M10×1 B3000200200000 | ANY | | 120 EA | | | |
| 261 | OIL CUP M8×1 B3000200300000 | ANY | | 120 EA | | | |
| 262 | PARTIAL REDUCING CHECK VALVE 90001004 | ANY | | 4 EA | | | |
| 263 | PIN 4×10 B1003802604902 | ANY | | 64 EA | | | |
| 264 | PIN 6×32 B1003803905000 | ANY | | 64 EA | | | |
| 265 | PIN 8×30 B1008601405302 | ANY | | 64 EA | | | |
| 266 | PIN M3×8 B1003802204902 | ANY | | 8 EA | | | |
| 267 | PIN SHAFT A4×16 B1008807204900 | ANY | | 16 EA | | | |
| 268 | PLUNGER OF NORMAL PRESSURE LIMIT VALVE 90002978 | ANY | | 4 EA | | | |
| 269 | PLUNGER SPRING 98002085 | ANY | | 8 EA | | | |
| 270 | PRESSURE DECREASING VALVE 95000973 | ANY | | 2 EA | | | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 271 | PRESSURE SENSOR 40400061 | ANY | | 12 EA | | | |
| 272 | PRIMARY VERTICAL SHOCK ABSORBER QSJZ39-20-11-100-P1 | ANY | | 16 EA | | | |
| 273 | PTFE TAPE 15606003 | ANY | | 8 EA | | | |
| 274 | RADIANT CROSS CAR LINE 34302027 | ANY | | 2 EA | | | |
| 275 | RADIATION CROSSLINKING ULTRA-THIN RAILWAY LOCOMOTIVE LINE 34203006 | ANY | | 2 EA | | | |
| 276 | READING LAMP 39500136 | ANY | | 16 EA | | | |
| 277 | REAR SPRING 98002087 | ANY | | 8 EA | | | |
| 278 | RECOVER SPRING 98002104 | ANY | | 4 EA | | | |
| 279 | RECTANGLE WASHER DLJ6-04-01-075A-Z2 | ANY | | 24 EA | | | |
| 280 | RED MARKER LAMP 39500115 | ANY | | 16 EA | | | |
| 281 | RELAY VALVE 96000013 | ANY | | 2 EA | | | |
| 282 | RELEASE PLUNGER VALVE 95002096 | ANY | | 8 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 283 | RELEASE VALVE SPRING 98002089 | ANY | | 8 EA | | | |
| 284 | RELEASING SPRING 98002095 | ANY | | 4 EA | | | |
| 285 | ROLLER 95000278 | ANY | | 24 EA | | | |
| 286 | RUBBER RING 23802106 | ANY | | 64 EA | | | |
| 287 | SAFETY FILTER OF AC 95002776 | ANY | | 384 EA | | | |
| 288 | SAFETY VALVE 95001120 | ANY | | 4 EA | | | |
| 289 | SANDING ASSEMBLY 95001156 | ANY | | 8 EA | | | |
| 290 | SANDING BOX COVER ASSEMBLY 95001297 | ANY | | 20 EA | | | |
| 291 | SANDING HOSE 15407677 | ANY | | 72 EA | | | |
| 292 | SANDING HOSE (I) 15407726 | ANY | | 48 EA | | | |
| 293 | SANDING NOZZLE QSJZ19-90-00-002 | ANY | | 380 EA | | | |
| 294 | SANDING PIPE QSJZ35-90-02-000 | ANY | | 4 EA | | | |
| 295 | SANDING PIPE QSJZ35-90-03-000 | ANY | | 4 EA | | | |
| 296 | SEAL 15404201 | ANY | | 64 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 297 | SEALING RUBBER PAD DLJ6-04-01-075A-Z5 | ANY | | 24 EA | | | |
| 298 | SELF VALVE ADJUSTING VALVE MOFLE ASSEMBLY 90001661 | ANY | | 8 EA | | | |
| 299 | SELF VALVE ADJUSTING VALVE PLUNGER ASSEMBLY 90001660 | ANY | | 8 EA | | | |
| 300 | SENSOR OF LIMIT SWITCH 40402164 | ANY | | 2 EA | | | |
| 301 | SIDE STOPPER QSJZ18-90-02-000 | ANY | | 16 EA | | | |
| 302 | SINGLE RELEASE VALVE 95001655 | ANY | | 8 EA | | | |
| 303 | SINGLE VALVE ADJUSTING VALVE MOFLE ASSEMBLY 90001659 | ANY | | 8 EA | | | |
| 304 | SINGLE VALVE ADJUSTING VALVE PLUNGER ASSEMBLY 90001658 | ANY | | 8 EA | | | |
| 305 | SINGLE VALVE ADJUSTING VALVE SPRING 5203038 | ANY | | 8 EA | | | |
| 306 | SOLENOID VALVE 1 23802172 | ANY | | 4 EA | | | |
| 307 | SOLENOID VALVE 2 | ANY | | 4 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | 23802033 | | | | | | |
| 308 | SPACER BLOCK 19008210 | ANY | | 200 EA | | | |
| 309 | SPRING 96000343 | ANY | | 64 EA | | | |
| 310 | SPRING RETAINING RING 96000153 | ANY | | 4 EA | | | |
| 311 | TANDEM PLUNGER VALVE 95002095 | ANY | | 8 EA | | | |
| 312 | TANDEM WORKING VALVE 96000160 | ANY | | 2 EA | | | |
| 313 | TEMP SENSOR 40400064 | ANY | | 10 EA | | | |
| 314 | TERMINAL BLOCK WITH INSULATING SLEEVE 39000061 | ANY | | 120 EA | | | |
| 315 | TERMINAL BLOCK WITH INSULATING SLEEVE 39000063 | ANY | | 120 EA | | | |
| 316 | TERMINAL BLOCK WITH INSULATING SLEEVE 39000066 | ANY | | 120 EA | | | |
| 317 | TERMINAL BLOCK WITH INSULATING SLEEVE 39000057 | ANY | | 120 EA | | | |
| 318 | TERMINAL BLOCK WITH INSULATING SLEEVE | ANY | | 50 EA | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | 39000164 | | | | | | |
| 319 | TERMINAL BLOCK WITH INSULATING SLEEVE 39000017 | ANY | | 20 EA | | | |
| 320 | TERMINAL BLOCKS 33109185 | ANY | | 20 EA | | | |
| 321 | TOP LIGHT 39500135 | ANY | | 16 EA | | | |
| 322 | TRAIN PIPE DUSTER 96000814 | ANY | | 64 EA | | | |
| 323 | TRANSIT CONTACTOR QSJ39-62-07-004 | ANY | | 10 EA | | | |
| 324 | UNDERBODY LAMP 39500116 | ANY | | 22 EA | | | |
| 325 | UNIT BRAKE 1 QSJZ35-60-02-000 | ANY | | 2 EA | | | |
| 326 | UNIT BRAKE 2 QSJZ35-60-03-000 | ANY | | 2 EA | | | |
| 327 | UNIT BRAKE 3 QSJZ35-60-04-000 | ANY | | 2 EA | | | |
| 328 | UNIT BRAKE 4 QSJZ35-60-05-000 | ANY | | 2 EA | | | |
| 329 | UNIT BRAKE 5 QSJZ35-60-06-000 | ANY | | 2 EA | | | |
| 330 | URGENTLY PRESSURE | ANY | | 4 EA | | | |

NERAL MANAGER
PLY CHAIN MANAGEMENT
KENYA RAILWAYS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | LIMIT SPRING 98002101 | | | | | | |
| 331 | VALVE SPRING 98002084 | ANY | | 32 EA | | | |
| 332 | VOLTAGE SENSOR 40402231 | ANY | | 50 EA | | | |
| 333 | WINDOW WIPER BLADE 90002459 | ANY | | 24 EA | | | |
| 334 | WINDOW WIPER MOTOR 90007245 | ANY | | 12 EA | | | |
| 335 | ZOOM IN ON THE TOP BAR 95000277 | ANY | | 16 EA | | | |
| 336 | 97XX LOCO TRACTION MOTORS ZQDR310G | ANY | | 12 EA | | | |
| 337 | BRAKE SWITCHING VALVE SEALS(KIT) 95003430 | ANY | | 100 EA | | | |
| TOTAL PRICE | | | | | | | |

GENERAL MANAGER
SUPPLY CHAIN MANAGEMENT
KENYA RAILWAYS